## **MAYOR & COUNCIL AGENDA COVER SHEET**

**MEETING DATE:** 

July 12, 2004

**CALL TO PODIUM:** 

Erica Shingara

**RESPONSIBLE STAFF:** 

Erica Shingara, Environmental Specialist Mark DePoe, Long Range Planning Director

#### **AGENDA ITEM:**

(please check one)

	Presentation
	Proclamation/Certificate
	Appointment
	Public Hearing "JOINT"
	Historic District
	Consent Item
	Ordinance
	Resolution
	Policy Discussion
X	Work Session Discussion "JOINT"
	Other:

#### PUBLIC HEARING HISTORY:

(Please complete this section if agenda item is a public hearing)

Introduced		
Advertised	3/31/2004	
	4/7/2004	
Hearing Date	6/7/2004	
Record Held Open	8/2/2004	
Policy Discussion		

**TITLE: MP-1-04** 

Master Plan Amendment: 2004 Environment (Sensitive Areas) Element

#### SUPPORTING BACKGROUND:

The Environment Element is the second element to be amended in the Master Plan update. A joint public hearing was held on June 7, 2004 where staff summarized the document's major changes, described baseline environmental conditions, and recommended management strategies for each plan component. The Mayor and Council and Planning Commission recommended a work session be held in July.

Three speakers provided comments during the public hearing and written comments were received from five organizations/individuals, including State Highway Administration, Maryland Department of Planning, Montgomery County Public Schools, Rodgers Consulting, and Rachel Hopp of the Environmental Affairs Committee.

The attached document summarizes the public comments, staff responses, and the recommended revisions to the Environment Element. Staff has revised the Environment Element accordingly and will address the comments and revisions individually during the work session.

The record, or public comment period, closes by 5 p.m. for the Planning Commission on July 21, 2004 and the Mayor and City Council on August 2, 2004.

Attached:

Exhibit 1: Overview and Response to Public Comments Exhibit 2: Transcript of Joint Public Hearing on MP-1-04

Exhibit 3: SHA letter, dated April 9, 2004 Exhibit 4: MCPS letter, dated May 27, 2004 Exhibit 5: MDP letter, dated May 14, 2004

Exhibit 6: Rachel Hopp testimony, dated June 7, 2004 Exhibit 7: Rodgers Consulting letter, dated June 7, 2004

Exhibit 8: Revised Draft 2004 Environment Element

#### **DESIRED OUTCOME:**

Hear presentation and provide feedback.

Planning Commission record is scheduled to close by 5 p.m. on July 21, 2004, and staff proposes that the Planning Commission develop a recommendation during the July 21, 2004 Planning Commission Meeting. The Mayor and Council record is scheduled to close by 5 p.m. on August 2, 2004, with anticipation of final Council action during the August 2, 2004 Mayor and Council Meeting.

## MP-1-04 MASTER PLAN AMENDMENT: ENVIRONMENT ELEMENT RESPONSE TO COMMENTS

City of Gaithersburg
July 7, 2004

#### Overview and Response to Public Comments

This document summarizes the substantive comments submitted in writing to the City of Gaithersburg in response to MP-1-04 Master Plan Amendment: 2004 Environment Element Amendment introduced on June 7, 2004. This document also provides staff recommendations to the issues raised by the commenters and explains what changes were made in response to these comments. The joint public hearing for this regulation occurred on June 7, 2004. The record, or public comment period, closes for the Planning Commission by 5:00 p.m. on July 21, 2004 and the Mayor and City Council on August 2, 2004.

Written comments were received from Rodgers Consulting, Maryland Department of Planning, Montgomery County Public Schools, State Highway Administration, and Rachel Hopp of 1371 Main Street, Gaithersburg, MD.

#### Water Resources

Comment 1: The Watershed Assessment and Planning section should reflect that an overall watershed plan be created that incorporates the items listed in the Strategies Section. That plan should be used as a basis for all future local actions and programs to preserve and revitalize watersheds. The plan should, among other things, also show where infill and redevelopment should occur.

Response: Staff agrees with the commenter and recommends including language in the Watershed Protection and Enhancement Strategies section indicating that the watershed plans will incorporate the watershed protection and enhancement strategies identified in the Environment Element and will be used as a basis for all future local actions and programs to preserve and revitalize watersheds. See pages 16-17 of the revised draft for recommended changes.

Comment 2: As part of the priority and funding schedule for stream restoration, there should be a listing of projects than can be done by



developers, either through fee-in-lieu or in-kind services, as part of the SWM approval process.

Response:

Staff agrees with the commenter and recommends including language indicating that the plans will show where stream and stormwater management improvements should be made during infill and redevelopment. See page 16 for recommended changes.

Comment 3: The City should develop a schedule detailing how much a developer must pay toward specific off-site restoration projects to gain full or partial regulatory relief from on-site SWM

Response:

The Mayor and City Council adopts an annual fee schedule that includes a stormwater management waiver fee (based on acreage) that affords the developer full or partial regulatory relief from on-site SWM requirements when a waiver is granted by the City Manager or his designee. Staff recommends no changes to the plan in response to this comment.

Comment 4: How will the City fund a Homeowner Association (HOA) stormwater management maintenance program?

Response:

The City receives funds from Montgomery County's Water Quality Protection Charge to finance stormwater inspection and maintenance programs. Staff recommends no changes to the plan in response to this comment.

2

## Riparian Areas

Comment 5: Provide clarification on what is considered a riparian area and if riparian areas are entirely located within the stream valley buffer and protected by the Environmental Standards.

Response: Staff recommends expanding the definition on page 6 to include a more detailed description of riparian areas. Most definitions of riparian areas describe them simply as the transitional zones between aquatic and terrestrial (or upland) environments that occur as belts along the banks of rivers, streams, and lakes. Riparian areas occurring along the banks of moving water (i.e., streams or rivers) are often called lotic systems whereas those occurring along the banks of stationary water (i.e., lakes, ponds, or pools) are called lentic systems.

07/07/2004

In staff's opinion, riparian areas may not always be exclusively located within the stream valley buffer, as suggested by the commenter. The *Environmental Standards for Development Regulation* defines stream valley buffers as the strip of land parallel to a perennial or intermittent stream. The Regulation establishes a 100 to 150 ft. stream valley buffer that may be expanded to include the floodplain, wetlands, and hydraulic adjacent steep slopes. Considering that riparian areas may be located besides wetlands, ponds, and lakes, not associated with streams, it is inappropriate to state that riparian areas will always be located within the 100-150 ft stream valley buffer. Staff recommends including this language regarding riparian areas and stream valley buffers for clarification on pages 6, 7, and 17.

## Waiver to the Environmental Standards for Development

Comment 6: Remove the proposed paragraph that includes language to discourage waivers of the Environmental Standards.

Response:

Staff does not concur with this recommendation. The strategy in question states: "Discourage waivers involving stream, wetland, floodplain, or buffer encroachments, stormwater management quantity control requirements, forest conservation requirements, and open space requirements."

While the *Environmental Standards for Development Regulation* does permit the Mayor and City Council to approve waivers, staff believes that this language is necessary to help discourage applicants from seeking unnecessary and inappropriate waivers that do not meet the intent of the regulation. Staff recommends no changes in response to this comment.

#### Soils and Slopes

Comment 7: The discussion of steep slopes should have some description of what constitutes a steep slope.

Response:

Staff agrees with the commenter and recommends including a definition of steep slopes in this section. The City's *Environmental Standards for Development Regulation* defines steep slopes as 25 percent or greater. See page 20 for recommended changes.

Comment 8: The introductory discussion should state that it is advisable to determine the steepness and erodibility of soils on slopes before deciding what grading can occur, whether buffers must be in place and whether any development can occur on the slope face.

Response: Staff agrees with the commenter and recommends including language indicating that it is advisable to determine the steepness and erodibility of soils on slopes before deciding what grading can occur, whether buffers must be in place and whether any development can occur on the slope face. See page 23 for recommended changes.

Comment 9: Remove the following language related to soil and slope protection strategies: "it is also important not to create new steep slopes and extensive retaining walls during development; especially within or near the stream valley buffer."

Response: Staff does not concur with this recommendation. Chapter 24 of the City Code and the grading and subdivision process establish guidelines for slopes and retaining walls and provide flexibility for design, environmental protection, and other objectives on a case by case basis. However, staff believes that the language on page 23 is necessary to help discourage applicants from creating excessive and inappropriate steep slopes and retaining walls that may pose future concerns for maintenance, safety, and mowing and that are not consistent with the City's environmental policies. Staff recommends no changes in response to this comment.

#### **Greenways**

Comment 10: Include a work item to develop amendments to the City's subdivision regulations that would include mechanisms for getting reservation of land for greenways when property is proposed for development. Prior to that, the City would have to have a greenways plan with the proposed ROW's of the greenway paths, mapped.

Response: Staff is researching existing subdivision regulations to review subdivider's or developer's responsibilities for the dedication of land for greenways and their compliance with Master Plan requirements. Staff recommends including a strategy under the greenways section to conduct a review and analysis of existing and potential right-of-ways (ROW's) for greenway paths in order to develop a comprehensive greenway plan. See page 27 for recommended revisions.

Comment 11: Early mapping and delineation of proposed greenways is an important tool for ensuring their creation and protection. Therefore language should be added under the greenways section indicating that "greenways shall be defined as the remainder of the parcel within the stream valley buffer (as shown on the NRI/FSD) for new development." This will avoid potential confusion related to the intended limits of the greenway.

Response:

Staff agrees that early mapping and delineation of proposed greenways is an important tool. As indicated in the response to Comment 10, staff recommends including language on page 27 indicating that staff will perform an analysis of existing and potential right-of-ways for greenway paths in order to develop a comprehensive greenway plan to help developers avoid potential confusion with the intended limits of the greenway.

However, staff does not agree that greenways shall be defined as the remainder of the parcel within the stream valley buffer. In many cases, such as areas containing steep slopes, poor drainage, or specimen trees, it may not be appropriate to place a greenway trail solely in the stream valley buffer. Locating the greenway trail system outside of the buffer may be required to protect the integrity of the stream buffer or to prevent potential problems with flooding, grading, and erosion.

#### <u>Wildlife</u>

Comment 12: Note that the National Heritage Program will review projects for proposed construction that could impact threatened or endangered habitats.

Response:

Staff agrees with the commenter and recommends including language indicating that the National Heritage Program will review projects for proposed construction that could impact threatened or endangered habitats. See page 44 for recommended changes.

Comment 13: Include language: "When development will occur on a parcel with a listed species habitat, cluster the development on that portion of the parcel which will minimize adverse impacts."

Response: Staff agrees with the commenter and recommends including language indicating that when development will occur on a parcel with a listed species habitat, the development should be clustered on that portion of the parcel to minimize adverse impacts. See page 45 for recommended changes.

Comment 14: Remove language under the Wildlife Protection and Management Strategies, under the second bullet point, first subpoint, stating: "the Chesapeake Bay Critical Area Criteria identifies potential FIDS habitat as existing forest buffering streams and wetlands with a minimum of 300' in width on each side of the stream."

#### Response:

This language was originally included to provide the reader with a point of reference for typical Forest Interior Dwelling Species (FIDS) habitat protection measures in Maryland, and was not intended to be interpreted as an absolute standard to be required during the development review process. Staff recognizes that FIDS habitat must be evaluated on a case by case basis and therefore recommends removing the language under the second bullet point, first sub-point under the Strategies Section in order to minimize confusion on suggested FIDS habitat protection strategies. See page 45 for recommended changes.

However, since FIDS habitat protection measures are not commonly known and the literature on FIDS habitat is relatively limited, especially at the local level, staff believes that additional background on this subject should be included in the document and recommends expanding the footnote under Wildlife Baseline Conditions, page 42, to provide the reader with an overview of conventional land management practices. Staff recommends referencing Maryland Partners in Flight's Habitat management guidelines for the benefit of land birds in Maryland, the Cornell Lab of Ornithology's "A Land Manager's Guide to Improving Habitat for Scarlet Tanagers and Other Forest-interior Birds", and the Chesapeake Bay Critical Area Commission's "A Guide to the Conservation of Forest Interior Dwelling Birds in the Chesapeake Bay Critical Area". See page 42 for recommended changes.

While staff recognizes that Gaithersburg is not located in the Chesapeake Bay Critical Area, this document provides general guidelines for the identification of FIDS habitat as well as site design and mitigation options that are required in a Critical Area, but are also recommended for use in other areas of the Maryland. Furthermore, these land management guidelines are also consistent with the recommendations of Maryland Partners in Flight, which is written for a larger geographic scope.

07/07/2004 6

#### TRANSCRIPT OF

#### JOINT PUBLIC HEARING

ON

## **MP-1-04**

# MASTER PLAN AMENDMENT: 2004 ENVIRONMENT (SENSITIVE AREAS) PLAN, AN ELEMENT OF THE CITY OF GAITHERSBURG MASTER PLAN

BEFORE THE

CITY OF GAITHERSBURG

MAYOR AND CITY COUNCIL

AND

PLANNING COMMISSION

ON

June 7, 2004

Transcribed by Doris R. Stokes



#### **PARTICIPANTS**

#### **CITY COUNCIL**

Mayor Katz
Council Vice President Somerset
Council Member Alster
Council Member Edens
Council Member Marraffa
Council Member Schilchting

#### PLANNING COMMISSION

Chair Keller
Commissioner Hicks
Commissioner Levy
Commissioner Winborne

Absent: Vice Chair Bauer

#### **CITY MANAGER**

David B. Humpton

#### **CITY ATTORNEY**

Cathy G. Borten

#### **STAFF**

**Environmental Specialist Shingara** 

## SPEAKERS FROM THE PUBLIC

Rachel Hopp, Lakelands Resident, Environmental Affairs Committee Member Dusty Rood, Natural Resources Specialist, Rodgers Consulting Daniel Reeder, 11520 Game Preserve Road Katz

The item on our agenda is a joint public hearing. Tonight we have one and it's on the Master Plan Amendment, 2004 Environment (*Sensitive Areas*) Plan, An Element of the City of Gaithersburg Master Plan. Erica Shingara will be explaining all of this to us.

Shingara

Good evening Mayor and Council and Planning Commission. I'm Erica Shingara, the City's Environmental Specialist. MP-1-04 is a joint public hearing on the Master Plan Amendment for the 2004 Environmental Element, formerly the Sensitive Areas Element. This hearing has been duly advertised in the Gaithersburg Gazette on March 31 and April 7, 2004. Draft copies were sent to appropriate state and regional agencies. To date, we have received responses from the State Highway Authority, Montgomery County Public Schools and the Maryland Department of Planning and we are pleased that these letters are in strong support of our proposed environmental strategy. At the present time, there are seven exhibits on file in the record. The sixth and seventh exhibits we just received on Friday and have incorporated them. These exhibits are referenced in the exhibit list in the file. The individual exhibits may be reviewed during the course of the meeting or in the Planning Office during regular business hours at City Hall. Any objections to the receipt of any exhibit should be noted prior to the closing of the record; otherwise they will be deemed received in evidence. As you know, the City began a comprehensive Master Plan Review in 2002. This updated involved the comprehensive review of each individual element of the Master Plan including land use, environment, transportation, historic preservation and community facilities. The Land Use Element was the first amended element in the process and it was adopted in December of 2003. The environment element formerly known as the sensitive areas element, is the second element to be amended in this process. Staff has performed a comprehensive review and revisions to the environment element and is recommending the following amendments to the City's current Master Plan. Please refer to the television screen for a presentation on the major

2001 Regular Session of the Maryland General Assembly developed a task force to study light efficiency and light pollution in Maryland. According to the Task Force's March 2002 report, there is no single best answer to achieve efficient and cost effective lighting because there are numerous appropriate applications and equipment technologies. Therefore, for this reason, during the site development review process, developers are required to submit a photometric plan and utilize this task force's recommendations, Gaithersburg Outdoor Lighting Standards and LEED criteria as guidelines during the plan review process to prevent and reduce light pollution.

And finally, solid waste management. Solid waste management is an important environmental issue due to the land constraints and facts that landfills and incinerators are often significant contributors to groundwater, soil, and air contamination. Several strategies for preventing and reducing solid waste include requiring recycling storage and collection areas in all new development and redevelopment; continue public education efforts such as on the City's recycling program and the used oil and antifreeze recycling program at the Department of Public Works; examining municipal operations to minimize waste; implementing a mandatory multifamily recycle program similar to Montgomery County's program, encouraging recycling; and commercial encouraging voluntary construction waste management plans for new development.

Finally, this concludes tonight's presentation on the Environmental Element. Staff recommends that the record be held open for the Planning Commission until July 21, 2004 and the Mayor and City Council until August 2, 2004. If desired, a work session could be scheduled in July. Thank you.

Thank you very much Erica. Any questions of Erica. Ok. Thank you. This is the time that the Mayor and Council and the Planning Commission

hear from anyone who would like to speak on this public hearing topic. We asked that you please keep your remarks to no more than three minutes. I will advise when you have 30 seconds left of your three minutes so that you can begin to finish your statement. Please note that any additional testimony that you might have can be submitted to the City in written form and will be a part of the record just as your oral testimony. Please state your name and address for the record. Do we have anyone who would like to speak on this topic? Please.

Hopp

Good evening Mr. Mayor, Members of the City Council, Members of the Planning Commission. My name is Rachel Hopp. I'm from the Lakelands community and it gives me great pleasure to speak very briefly tonight on behalf of the City's Environmental Affairs Committee in support of MP-01-04 Master Plan Amendment, 2004 Environment Sensitive Areas Plan. The Environmental Affairs Committee was given the opportunity to review and provide input on multiple drafts of the Environmental Element. And we were very pleased at the City's responsiveness to our comments. Importantly, the Element has been expanded beyond a conventional nature resources identification document to encompass the broader issues of environmental health. These include our built environment and impacts on air quality, the quality of our waters, and on our soils. By adopting this element, the City will take an important step forward and assuming responsibility for stewarding the City's environment values through the planning process. The Environmental Element provides a critical road map and we believe that its thoughtful implementation will help ensure for now and into the future that the residents of this beautiful City will continue to enjoy a desirable, helpful, and economically vibrant place to live and work. The City Planning staff is to be commended for their excellent work and I will be happy to answer any questions.

Katz

Thank you very much. Anyone else in the audience please?

Rood

Mayor and City Council, Planning Commission Members, my name is Dusty Rood, Natural Resources Specialist, Rodgers Consulting, 9260 Gaither Road. I also want to extend my congratulation to the Planning Staff for preparing a good Plan. I will try and summarize our comments and they are also in writing for you and I will try to follow through this document that Fred is handing out to you now. Starting with the first comment relating to the waivers. Article III and Section 38 of the Environmental Standards for Development speak directly towards the provisions of waivers from these standards for various reasons. These waivers were included to provide the flexibility for design excellence, environmental protection, and other City objectives on a case by case Page 17, 1st paragraph of the proposed Environmental Plan basis. includes language that discourages such waivers. We would request that this paragraph be removed as the Environmental Standards already address this matter. And it could potentially be more conflictive and more confusing. So if we could hopefully eliminate that. Environmental Design Restrictions, the proposed Environment Plan includes language on page 22 relating to the protection of steep slopes and "importance of not creating steep slopes and extensive retaining walls on new development." The City has rules already concerning this relating to the 3:1 slopes, the maximum and the retaining walls in new development. We would hope that the proposed Environment Plan would remove this language so that we can utilize these types of design tools to meet other objectives, At the same time, we want to including environmental protection. acknowledge and support the flexibility tool that's noted on page 26 which allows developers to pay into parks and recreation fund if they cannot provide adequate green space. I think that takes a comprehensive look at the entire City and the entire recreation needs elsewhere in the City as a Greenways, page 25 of the flexible tool on a case by case basis. proposed Environmental Plan. Graphically depicts existing and proposed greenways within the City. We believe that the early mapping and delineation of proposed greenways is a very important tool for ensuring their creation and protection. We would suggest language be added on page 24, that indicates that the greenways shall be defined as the remainder of the parcel within the stream valley buffer for new development. Really the purpose of this comment is to avoid any type of potential confusing related to the intended limits of the greenway. Wrapping things up, on page 43 of the proposed Environment Plan includes a section dealing with Wildlife Protection and Management Strategies. Under the second bullet point, first sub-point, there is language that states the Chesapeake Bay Critical Area Criteria identifies potential FIDS habitat as existing forest buffering streams and wetlands with a minimum of 300 foot in width on each side of the stream. It is important to note here that the critical areas of the Chesapeake Bay are limited to areas.....I'm wrapping up real quick. The Chesapeake Bay Critical Area Criteria identifies potential FIDS habitat as existing forest buffering streams with a minimum, 300 foot width on each side of the stream. I just wanted to note that the critical areas of the Chesapeake Bay are limited to areas adjacent tidal wetlands and tidal tributaries of the Chesapeake Bay up to 1,000 feet and of the City of Gaithersburg.

Katz

Everything that you are saying is written?

Rood

It's all in there. Thank you.

Katz

Thank you very much. Do we have anyone else in the audience that would like to come before us? Please Dan.

Reeder

Good evening. Daniel Reeder, 11520 Game Preserve Road. I think the Plan that has been put before you is a very comprehensive plan. It encompasses all the principles and practices for environmental preservation. And, I think what the gentleman who was before you asked you is to not look at any parts of the Plan that discourage waivers or building on steep slopes and stream valleys and what not. It totally

defeats the purpose of the Plan. So what I am asking is that you look at the Plan as written. It's a very good Plan and hopefully, if you are really interested in environmental preservation that you don't really give out free passes for developers who want waivers at their convenience. Thank you very much.

Katz

Thank you Dan. Anyone else in the audience please?

Marraffa

Are we going to do anything else on this? I have a couple of comments.

Katz

Well, we will have a work session.

Marraffa

I'll reserve it for then.

Katz

Ok. Anyone else? Very good. What is the pleasure of the Planning Commission?

Keller

Do I have a motion to keep our record open for 44 days, until July 21, 2004?

Hicks

So moved.

Winborne

Second.

Keller

All in favor?

Commission Ayes (4-0)

Keller

Motion passes 4-0.

Katz

And it has been suggested that the Council hold their record open for 55 days, which is until August 2, 2004, what is the pleasure of the Council?

Alster

Move that the Mayor and Council keep their record open on MP-1-04 until

August 2, 2004.

Somerset

Second.

Katz

It's been moved and seconded. All those in favor please say aye?

Council

Ayes (5-0)

Katz

Opposed? Carries unanimously. We will have a work session sometime

in July on this. Ok. Thank you very much.


#### END OF JOINT PUBLIC HEARING

MP-1-04
Master Plan Amendment:
2004 Environment (Sensitive Areas) Plan,
An Element of the City of Gaithersburg Master Plan



Robert L. Ehrlich, Jr., Governor Michael S. Steele, Lt. Governor

Maryland Department of Transportation



April 9, 2004

Mr. Mark Depoe Director of Long Range Planning City of Gaithersburg 31 South Summit Avenue Gaithersburg MD 20877

Dear Mr. Depoe:

Thank you for the opportunity to review and comment on the draft 2004 Master Plan Environment (Sensitive Areas) Element for the City of Gaithersburg. Your continued coordination with the State Highway Administration (SHA) is appreciated.

- The draft Environment Plan's emphasis on environmentally friendly development in the City of Gaithersburg is commendable, and this growth concept is in line with State's Priority Places initiative. In particular, we support your recommended noise management strategies such as "requiring new development or redevelopment of land adjacent to a major noise source, such as mass transitways, interstates, or other major transportation routes, to conduct noise monitoring to determine ambient and peak noise levels prior to the submittal of a preliminary concept site plan." If the City requires new development to be responsible for addressing noise mitigation near State highways, this will be of benefit to both new residents and SHA.
- The SHA is supportive of recommendations in the draft Environment element that help to improve the safety of the driving public while enhancing the beauty of our State highways. Such recommendations include anti-littering efforts along highways and reducing animal crossings over highways.
- The draft Environment Plan does not include an implementation plan for the proposed strategies for recommended environmental improvements. We suggest developing an implementation plan that addresses prioritizing, scheduling, and funding the proposed strategies.



Mr. Mark Depoe Page Two

Thank you again for the opportunity to review the draft 2004 Master Plan Environment (Sensitive Areas) Element for the City of Gaithersburg. If you have any questions, please do not hesitate to contact Mr. Shiva K. Shrestha, our Acting Regional Planner for Montgomery County, at 410-545-5675, 1-888-204-4828, or sshrestha@sha.state.md.us. He will be happy to assist you.

Sincerely,

mil & Leden

Neil J. Pedersen Administrator

Mr. Shiva Shrestha, Acting Regional Planner, SHA cc:

Mr. Raja Veeramachaneni, Director of Planning and Preliminary Engineering, SHA

Mr. Charlie K. Watkins, District Engineer, SHA



850 Hungerford Drive \* Rockville, Maryland \* 20850-1747


Telephone (301)

279-3425

artment of Facilities Management, 7361 Calhoun Place, Suite 400, Rockville, MD 20855 FAX -301-279-3737

May 27, 2004

Mr. Mark DePoe Director of Long-Range Planning Planning and Code Administration City of Gaithersburg 31 South Summit Avenue Gaithersburg, Maryland 20877-2098



Dear Mr. Depoe:

Re: Draft Master Plan Environment (Sensitive Areas) Element

Montgomery County Public Schools (MCPS) staff reviewed the contents of the referenced draft document for compatibility with our goals and procedures for construction, maintenance and operation of school land and facilities.

MCPS endorses the environmental mission of the City of Gaithersburg, and as resources permit, endeavors to support the strategies described within the Draft Master Plan. Below are specific comments along with applicable page references.

## Page 17: Storm Water Management

 MCPS is open to partnerships with outside organizations such as the U.S. Army Corps of Engineers and Montgomery County Department of Environmental Protection to improve storm water management issues.

### Page 18: Pollution Prevention

- MCPS is interested in providing relevant data in order to update the City's Environmental Management System to prevent and reduce pollutant runoff from all industrial operations.
- MCPS encourages the reduction of fertilizer and pesticide runoff through the use of Integrated Pest Management.

## Page 18: Watershed Stewardship

- MCPS supports the idea of a public education campaign on the impact polluted storm water runoff discharges have on water quality.
- MCPS supports community watershed enhancement projects (e.g., stream cleanups, Community Cleanup Day, storm drain stenciling, tree plantings, etc.).



#### Page 26: Greenway Plans

 MCPS supports greenway plans to provide connections to schools, so long as those plans are designed to respect the safety and security of the students.

#### Page 40: Forest & Landscapes Protection

- MCPS supports establishing planting guidelines that encourage the use of native plants, wildlife habitat, and watershed protection benefits.
- MCPS supports volunteer -based tree planting, invasive species removal, stream park cleanup projects.

#### Page 46: Air Quality Improvement Strategies

• MCPS is open to coordinating with Montgomery County's "Environmental Partners Program" to reduce emissions from area sources.

#### Page 51: Green Building Strategies

- MCPS is open to train facilities personnel in green maintenance principles.
- MCPS has staffed an indoor air quality team to improve the air quality within MCPS. MCPS is willing to share its knowledge and expertise to other facilities.

#### Page 53: Solid Waste & Recycling

 MCPS supports recycling awareness programs and pollution prevention strategies outlined in this section.

#### Page 57: Light Pollution Reduction Strategies

 MCPS supports strategies to improve the efficiency of outdoor lighting to reduce spillover onto adjacent property.

Thank you for the opportunity to comment.

Sincerely,

Richard G. Hawes, director

Department of Facilities Management

RGH:jmt

Copy to:

Mr. Higgins

Mr. Song

Ms. Turpin

Mr. Yarup




Robert L. Ehrlich, Jr. Governor

Michael S. Steele Lt. Govervor Audrey E. Scott Secretary

Florence E. Burian Deputy Secretary

May 14, 2004

Ms. Blanche Keller Chair, City of Gaithersburg Planning Commission City Hall, 31 South Summit Avenue Gaithersburg, Maryland 20877



Dear Ms. Keller:

Thank you for submitting the City of Gaithersburg Master Plan Environmental Element to us for our review. Clearly, this represents an ambitious work effort to carefully examine the environmental resources lying within Gaithersburg and devise a comprehensive program for protecting them. This plan will give clear guidance for the development of future zoning and other regulations to protect the environment and the means of implementing them.

We recommend that the City prepare a full watershed plan for the watersheds lying within its municipal boundaries. This would be the comprehensive guide for the numerous watershed-related actions recommended in the *Environmental Element*. Because there will be a great deal of redevelopment within the City, stormwater management, impervious surface reduction requirements and the protection of waterways against pollution will be a major issues. It is important to provide for ways of meeting these requirements without hindering redevelopment.

A watershed plan would identify programs and activities that the local government can implement to protect water quality and yet still encourage and facilitate redevelopment the City needs. Your proposed *Environmental Element* already suggests studies to develop many of the things that would be included in such a plan. Several additional ones are suggested in the individual comments below.

- P. 15. The Watershed Assessment and Planning section should reflect that an overall watershed plan be created that incorporates the things listed in this section. That watershed plan would be the basis for all future local actions and programs to preserve and revitalize watersheds. The plan should, among other things, also show where infill and redevelopment should occur.
- P. 15. As part of the priority and funding schedule for stream restoration, there should be a listing of projects that can be done by developers, either through fee-in-lieu or in-kind services, as part of the SWM approval process for their projects. Thus, it would clearly advise developers of their options for addressing pollution problems off site as a means of getting development approvals. The City should develop a schedule detailing how much a developer must pay toward specific off-site restoration projects to gain full or partial regulatory relief from on-site SWM requirements.



- P. 16. The suggestion that developers help establish conservation easements and public-private partnerships to improve riparian buffers on private property is a good one. Certainly it is more realistic than depending on the public sector alone.
- P. 17. The recommendation that the City aid homeowners' associations in stormwater maintenance efforts is a good one. How would such an effort be financed?
- P. 19. The discussion of steep slopes should have some description of what constitutes a steep slope. Steep slopes could be defined as those with greater than a certain grade.
- P. 22. Top sentence is missing a word.
- P. 22. The introductory discussion should state that it is advisable to determine the steepness and erodibility of soils on slopes before deciding what grading can occur, whether buffers must be in place and whether any development can occur on the slope face.
- P. 27. Another work item in this section would be to develop amendments to the City's subdivision regulations that would include mechanisms for getting reservations of land for greenways when property is proposed for development. Prior to that, the City would have to have a greenways plan with the proposed ROW's of the greenway paths, mapped.
- P. 43. It might be useful to note that the National Heritage Program will review projects for proposed construction that could impact on threatened or endangered species habitats.
- P. 44. It would be advisable to add the following wording. "When development will occur on a parcel with a listed species habitat, cluster the development on that portion of the parcel which will minimize adverse impacts."

This concludes our comments. Thank you again for submitting the Draft *Environmental Element* for our review. Congratulations on an excellent work effort.

Sincerely,

Patricia Goucher, Director Local Planning Assistance

# PREPARED REMARKS IN SUPPORT OF ENVIRONMENTAL ELEMENT CITY OF GAITHERSBURG CITY COUNSEL MEETING JUNE 7, 2004

GOOD EVENING MR. MAYOR, MEMBERS OF THE CITY COUNSEL & MEMBERS OF THE PLANNING COMMISSION:

MY NAME IS RACHEL HOPP, AND IT GIVES ME GREAT PLEASURE TO SPEAK VERY BRIEFLY TONIGHT, ON BEHALF OF THE CITY OF GAITHERSBURG ENVIRONMENTAL AFFAIRS COMMITTEE, IN SUPPORT OF MP-1-04 MASTER PLAN AMENDMENT: THE 2004 ENVIRONMENT (SENSITIVE AREAS) PLAN.

THE ENVIRONMENTAL AFFAIRS COMMITTEE WAS GIVEN THE OPPORTUNITY TO REVIEW AND PROVIDE INPUT ON MULTIPLE DRAFTS OF THE ENVIRONMENTAL ELEMENT, AND WE WERE VERY PLEASED AT THE CITY'S RESPONSIVENESS TO OUR COMMENTS.

IMPORTANTLY THE ELEMENT HAS BEEN EXPANDED BEYOND A CONVENTIONAL NATURAL RESOURCES IDENTIFICATION DOCUMENT, TO ENCOMPASS THE BROADER ISSUES OF ENVIRONMENTAL HEALTH. THESE INCLUDE OUR BUILT ENVIRONMENT AND ITS IMPACT ON AIR QUALITY, THE QUALITY OF OUR SURFACE WATERS AND THE QUALITY OF OUR SOILS.

BY ADOPTING THIS ELEMENT THE CITY WILL TAKE AN IMPORTANT STEP FORWARD IN ASSUMING RESPONSIBILITY FOR STEWARDING THE CITY'S ENVIRONMENTAL VALUES THROUGH THE PLANNING PROCESS. THE ENVIRONMENTAL ELEMENT PROVIDES A CRITICAL ROADMAP, AND WE BELIEVE THAT ITS THOUGHTFUL IMPLEMENTATION WILL HELP ENSURE, FOR NOW AND INTO THE FUTURE, THAT THE RESIDENTS OF THIS BEAUTIFUL CITY WILL CONTINUE TO ENJOY A DESIRABLE, HEALTHFUL AND ECONOMICALLY VIBRANT PLACE TO LIVE AND WORK.

THE CITY PLANNING STAFF ARE TO BE COMMENDED FOR THEIR EXCELLENT WORK.

THANK YOU. I AM HAPPY TO ANSWER YOUR QUESTIONS.





June 7, 2004

City of Gaithersburg 31 South Summit Avenue Gaithersburg, Maryland 20877

RE:

Master Plan Update (MP-104)

Environment (Sensitive Areas) Plan

Dear Honorable Mayor Katz and City Council Members;

With over 45 years of experience in the land-use process in Montgomery County and the City of Gaithersburg, Rodgers Consulting, Inc. is pleased to comment on the Environment (Sensitive Areas) Plan update to the approved and adopted City of Gaithersburg Master Plan (herein referred to as the Environment Plan). Please find attached with this testimony a referenced article for your information and in support of this written testimony and the verbal testimony presented at the June 7, 2004 Public Hearing.

We recognize that many of the transportation and land-use objectives have already been established through prior actions by this body. Many of the comments you will find below are considering those objectives. The comments below have also been organized into three categories; miscellaneous, riparian areas, and Forest Interior Dwelling Bird Species (FIDS).

#### Miscellaneous

Waivers to the Environmental Standards for Development (Regulation 01-01, Nov. 2001)

Article III and Section 38 of the Environmental Standards for Development speak directly towards the provision of waivers from these standards for varying reasons. These waivers were included to provide flexibility for design excellence, environmental protection, and other City objectives on a case by case basis. Page 17 (1st Paragraph) of the proposed Environmental Plan includes language that discourages such waivers. We would request that this paragraph be removed as the Environmental Standards already address this matter and this Environment Plan language would be conflictive and confusing.

**Environmental Design Restrictions** 

The proposed Environment Plan includes language on Page 22 related to the protection of steep slopes and the "importance of not creating new steep slopes and extensive retaining walls on new development." The City already has rules concerning grading and sediment control that allows for 3:1 slopes (33%) and retaining walls. This type of grading and even steeper (2:1 or 50%) is typical and has been practiced for a long time. Restricting grading to 25% (4:1) and eliminating the provision of retaining walls creates additional challenges for projects trying to balance multiple land-use objectives, including environmental protection. We would ask that the proposed Environment Plan remove this language and allow this to be handled through the grading and subdivision process where systems are already in place to address this.

On the other hand, we want to acknowledge and support the flexibility tool noted on Page 26 allowing developers to pay into a Parks and Recreation fund if they can not provide adequate green space, parks and recreation facilities on a site.

#### Greenways

Page 25 of the proposed Environment Plan graphically depicts existing and proposed Greenways within the City. We believe that the early mapping and delineation of proposed Greenways is an important tool for ensuring their creation and protection. We would suggest language be added on Page 24 that indicates that the Greenways shall be defined as the remainder of the parcel within the stream valley buffer (as shown on the NRI/FSD) for new development. This avoids potential confusion related to the intended limits of the Greenway.

#### **Riparian Areas**

The protection of streams, wetlands, floodplains, and other hydrologically sensitive areas are managed in a variety of ways. The City of Gaithersburg and the State of Maryland are extremely progressive with their requirements addressing storm water management. The overwhelming majority of the City of Gaithersburg has been developed prior to storm water management requirements. All new development is required to comply with storm water requirements and discharge clean water. These sensitive areas are also addressed through the protection of riparian areas. From a land-use perspective, *Riparian Areas* and *Stream Valley Buffers* are one in the same. Page 16 of the proposed Environment Plan states "Continue to enforce the 100-150 foot stream valley buffer" found as the second bullet point beneath *Land and Riparian Buffer Conservation*.

We would request clarity that indicates that Riparian Areas are within the stream valley buffer and are protected by the Environmental Standards for Development. Again, the goal is to eliminate confusion and create clarity on this matter.

#### Forest Interior Dwelling Birds (FIDS)

Page 43 of the proposed Environment Plan includes a section dealing with Wildlife Protection and Management Strategies. Under the second bullet point, first sub-point, there is language that states "the Chesapeake Bay Critical Area Criteria identifies potential FIDS habitat as existing forests buffering streams and wetlands with a minimum of 300' in width on each side of the stream". It is extremely important to note that the Critical Areas of the Chesapeake Bay are limited to areas adjacent tidal wetlands and tidal tributaries of the Chesapeake Bay up to 1,000 feet. Neither the City of Gaithersburg nor Montgomery County has such areas. Therefore, using science-based criteria unrelated to this area is both bad policy and irrelevant. Even if you did consider the criteria contained within the Guide to the Conservation of Forest Interior Dwelling Birds in the Chesapeake Bay Critical Area (See enclosed), there are very few areas within the City that could potentially qualify. Page 29 of the proposed Environment Plan indicates that tracts of forest located in the Casey-Metropolitan Grove Study Area and along the Muddy Branch may be potentially large enough to support FIDS. However, most of the Muddy Branch watershed within the City is built out and/or owned by the City. Other large forest tracts within the City exist on City-owned property (Seneca Creek Park, Malcom King Park, etc.). The Casey-Metropolitan Grove Study Area with the associated CSX/MARC Rail, Watkins Mill Interchange, and Corridor Cities Transitway improvements does not contain areas suitable for FIDS habitat as described on page 11 of this referenced study.

We would request that references and objectives related to FIDS habitat either be based upon local science or not be made at all.

If you should have any questions concerning this testimony, please feel free to contact me at 301-253-6609 or drood@rodgers.com.

Sincerely,

**Dusty Rood** 

Natural Resources Specialist

M. Dusty Z.

**Enclosures** 

cc: Erica Shingara, City of Gaithersburg

## A Guide to the Conservation of Forest Interior Dwelling Birds in the Chesapeake Bay Critical Area



June 2000

Robert L. Ehrlich, Jr. Governor



Michael S. Steele Lt. Governor

State of Maryland

Critical Area Commission for the Chesapeake and Atlantic Coastal Bays 1804 West Street, Suite 100 Annapolis, MD 21401

Web Site: www.dnr.state.md.us/criticalarea

Front Cover Sketch: Wood Thrush (Hylocichla mustelina) by Julie Zickefoose, Indigo Hill Arts Web Site: Julie@Juliezickefoose.com

> \*Inside Artwork by Mary Owens Chesapeake Bay Critical Area Commission \*Exception includes artist's name

#### Authors:

Claudia Jones, Science Advisor Jim McCann, State Zoologist Susan McConville, Natural Resources Planner

Publication Date: 5/01

The facilities and services of the Maryland Department of Natural Resources are available to all without regard to race, color, religion, sex, sexual orientation, age, national origin or physical or mental disability.

This document is available in alternative format upon request from a qualified individual with a disability.

#### HOW TO DETERMINE IF FIDS HABITAT IS PRESENT

The Critical Area Commission has determined that the presence of FIDS habitat, as used in the Criteria, should be based on the overall quality of FIDS habitat in a forested area. Accordingly, two methods may be used to determine if FIDS habitat is present. The first requires the evaluation of certain forest characteristics such as forest tract size, approximate forest age and forest edge: area ratio. The second method requires that a bird survey be conducted to determine which species are breeding in a particular forest, using appropriate bird survey methods and a qualified observer. Either method, as described below, may be used.

#### **Habitat Determinations Based on Forest Characteristics**

The presence and relative abundance or density of many forest nesting bird species is closely related to such features as forest area, age, shape and the proportion of edge habitat present (e.g., Whitcomb et al., 1981, Ambuel and Temple, 1983, Lynch and Whigham, 1984, Robbins et al., 1986, Askins et al., 1987, Keller et al., 1993). The Criteria provide two examples of forest areas that are considered potential FIDS habitat and are to be conserved in the Critical Area: 1) forest with 100 or more contiguous acres, and 2) riparian forest areas with a width of at least 300 feet [COMAR 27.01.09.04C(2)(a)]. In reality, forests that support FIDS have a wider range of characteristics. The following descriptions provide a more accurate guide for identifying FIDS habitat. When these conditions exist, habitat is assumed to be present and protection measures should be employed unless it is determined that the forest does not function as FIDS habitat.

- A. Forests at least 50 acres in size with 10 or more acres of "forest interior" habitat (i.e., forest greater than 300 feet from the nearest forest edge). The majority of the forest tract should be dominated by pole-sized or larger trees (5 inches or more in diameter at breast height), or have a closed canopy; or
- B. Riparian forests at least 50 acres in size with an average total width of at least 300 feet. The stream within the riparian forest should be perennial, based on field surveys or as indicated on the most recent 7.5 minute USGS topographic maps. The majority of the forest tract should be dominated by pole-sized or larger trees, or have a closed canopy.

In both cases, the size of the forest tract is based on the entire forest area, regardless of Critical Area boundaries or property lines. Two forests tracts may be considered unconnected or disjunct if they are separated by nonforested habitat which results in a permanent 30 - 50-foot break in the forest canopy (e.g., road, cleared right-of-way). The above forest characteristics are intended to be a guide. On occasion, FIDS may be present in smaller forests or absent in larger ones.

## City of Gaithersburg ENVIRONMENT

DRAFT July 7, 2004

## CITY OF GAITHERSBURG 2003 MASTER PLAN

## III. ENVIRONMENT

#### **TABLE OF CONTENTS**

1. IN	FRODUCTION	3
	CKGROUND	
3. NA	TURAL ENVIRONMENT	5
3.1	Water Resources	6
3.2	Soils and Slopes	20
3.3	Open Space and Greenways	24
3.4	Forests and Landscapes	29
3.5	Wildlife	42
3.6	Air Quality	46
4. UF	BAN ENVIRONMENT	49
4.1	Smart Growth	49
4.2	Green Building	50
4.3	Sustainable Redevelopment and Historic Preservation	54
4.4	Noise Pollution	56
4.5	Light Pollution	57
4.6	Solid Waste and Recycling	59
5. RE	FERENCES	62
6. AF	PENDICES	65

Prepared By: Planning and Code Administration

Office of the City Manager

Long Range Planning Team: Mark DePoe, Long Range Planning Director Kirk Eby, GIS Planner Daniel Janousek, Planner Erica Shingara, Environmental Specialist Meredith Strider, Administrative Liaison

June 7, 2004

#### 1. INTRODUCTION

The Maryland Economic Growth, Resource Protection, and Planning Act of 1992 (Planning Act) altered the way citizens of the State of Maryland address land use by focusing planning efforts toward growth management and resource protection. In order to help local jurisdictions integrate environmental protection with plans for physical growth, the Planning Act requires jurisdictions to develop a sensitive areas element of the Comprehensive Master Plan. This element is one of the broadest elements of the Comprehensive Plan, encompassing three of the seven visions of the Planning Act; in particular the protection of sensitive areas (Vision 2), stewardship of the Chesapeake Bay (Vision 4), and conservation of resources, including a reduction in resource consumption (Vision 5). Codified in Article 66B of the Annotated Code of Maryland, this element, at a minimum, is required to contain goals, objectives, principles, policies, and standards that are designed to protect sensitive areas, such as: streams and their buffers, 100-year floodplains, habitat of threatened and endangered species, and steep slopes. The Planning Act, in addition to protecting these four general categories of environmentally sensitive areas, also encourages local governments to identify and protect other natural resources unique to their jurisdiction.

In the City of Gaithersburg, the Environment Element of the Master Plan is intended to fulfill the sensitive areas requirements of the Planning Act as well as address the health of the urban environment and public welfare considerations. The term "public welfare" is used in a general context to encompass both human health and quality of life impacts. This element identifies the type and location of important environmentally sensitive areas (e.g., water and air resources, soils and steep slopes, open space and greenways, forests and landscapes, and wildlife) within Gaithersburg and devises management strategies to continually protect and enhance these natural resources. Furthermore, this element extends beyond the requirements of the Planning Act and the traditional notions of environmental planning by addressing the sustainability of the urban environment and the protection of public welfare by providing management recommendations for smart growth, green building, sustainable redevelopment and historic preservation, noise pollution, light pollution, and solid waste and recycling.

Gaithersburg realizes that all aspects of the natural environment and urban environment are interrelated. For instance, transportation affects air quality; air pollution affects water quality; impervious surfaces impact groundwater recharge and stream flows; and solid waste management affects air, land, and water quality. These impacts extend well beyond the City's boundaries. Consequently, Gaithersburg must collaborate with regional authorities, such as Montgomery County and the Metropolitan Washington Council of Governments to devise solutions. Gaithersburg recognizes that a plan for protecting and enhancing both the natural and urban environment, the Environment Element, is essential for protecting public welfare and ensuring a high quality of life for future generations.

July 7, 2004 3

#### 2. BACKGROUND

There are numerous Federal, State, and local laws, policies, and regulations governing the environment. Appendix A provides a brief overview of the fundamental environmental regulations and policies guiding the planning process in Gaithersburg. Gaithersburg's City Code contains several local ordinances that are intended to protect and improve individual elements of the environment:

- Sediment and Erosion Control and Stormwater Management (Chapter 8);
- Floodplain Management (Chapter 10);
- Refuse and Garbage (Chapter 18);
- Trees and Vegetation (Chapter 21);
- Trees and Forest Conservation (Chapter 22); and
- Zoning (Chapter 24).

In 1995, Gaithersburg first employed a comprehensive view of the environment with the adoption of the *Environmental Standards*. These standards were designed to serve as guidelines in the development review process. However, it was determined that a more consistent and enforceable mechanism was needed to effectively protect the City's natural resources. Therefore in 2001, the 1995 standards were revised and adopted as the *Environmental Standards for Development Regulation, Regulation No. 01-01*. This regulation establishes an enforceable "benchmark" level of environmental protection, and any waiver of the standards requires approval by the Mayor and City Council. In effect, this regulation protects sensitive environmental areas during the development review process, as required by the *1992 Planning Act*.

Gaithersburg's first Master Plan Sensitive Areas Element was created in 1997 to identify and protect the City's sensitive environmental resources. As part of the 2004 Master Plan update, citizens and the Mayor and City Council developed an Environment Theme (located in the Themes section of the Master Plan) which contains a series of environmental goals and objectives relating to both the natural and urban environment. The Environment Theme indicated an apparent need for a more comprehensive environmental plan. Therefore, in the 2004 Master Plan update, the Sensitive Areas Element has been renamed the Environment Element, and now addresses the protection of sensitive areas, the health of the urban environment, and public welfare considerations.

Finally, the implementation of the Environment Element's recommendations, relates directly to Strategic Direction #9 found within *Strategic Directions: An Overall Approach To Achieving The Vision of The City of Gaithersburg.* This Strategic Direction states that the City will "[i]mplement recommendations from on-going evaluations of natural resources and encourage the protection and enhancement of the environment (streams, parks, stormwater management, and other Capital Improvement Projects (CIP))." Updated annually, this strategic direction establishes

June 7, 2004 4

goals, activities (e.g., CIP projects, new plans or programs, ordinance revisions, etc.), implementation schedules, and critical measures for assessing progress.

#### 3. NATURAL ENVIRONMENT

This section provides an overview of the important natural environmental features (e.g., water and air resources, soils and slopes, open space and greenways, forests and landscapes, and wildlife) found within the City of Gaithersburg. Each of the subsequent sections follows a consistent format that: 1) defines the resource and explains why protection is important; 2) presents baseline geographic conditions; and 3) discusses management policies and strategies.

In summary, the City of Gaithersburg occupies approximately 10 square miles in the heart of Montgomery County, Maryland, and is home to over 56,000 residents. The City's main sensitive areas and environmental resources include public parks and open space, wetlands, lakes and stream valley buffers, urban forests, and sensitive soils and slopes. Table 1 provides a brief overview of the important natural environmental features found in Gaithersburg. Acreage calculations are based on the most recent Geographic Information System (GIS) data available. Given the rate of new development and the naturally fluctuating state of the environment, these numbers should only be considered as general approximations.

**Table 1: Summary of Gaithersburg's Environmental Resources** 

Attribute	Acres	Percent <sup>1</sup>
City of Gaithersburg	6,403	100%
Impervious Area <sup>2</sup>	2,059	32%
Tree Canopy Coverage <sup>3</sup>	1,657	26%
City-Owned (City-parks)	381	6%
Privately Owned	1,276	20%
Erodible/Hydric Soils <sup>4</sup>	1,543	24%
Lakes and Stream Valley Buffers <sup>5</sup>	860	13%
Publicly Owned	297	4%
Privately Owned	563	9%
Public Parks and Open Space <sup>6</sup>	719	11%
Floodplains <sup>7</sup>	451	7%
Steep Slopes <sup>8</sup>	297	5%
Wetlands <sup>9</sup>	191	3%

<sup>&</sup>lt;sup>1</sup> Due to overlapping attributes and the exclusion of developed land, percentages are not cumulative.

June 7, 2004 5

\_

<sup>&</sup>lt;sup>2</sup> Impervious land cover analysis by University of Maryland and Montgomery County, 1999.

<sup>&</sup>lt;sup>3</sup> M-NCPPC tree cover analysis, 1999.

<sup>&</sup>lt;sup>4</sup> 1995 Soil Survey Geographic (SSURGO) database for Montgomery County

<sup>&</sup>lt;sup>5</sup> Includes lakes, streams, and 100 foot stream valley buffer (minimum). M-NCPPC, 1999.

<sup>&</sup>lt;sup>6</sup> Includes State, County, and City-owned parks and open space.

<sup>&</sup>lt;sup>7</sup> Federal Emergency Management Agency; based on 1979, 1984, 1991, and 1992 panel data.

<sup>&</sup>lt;sup>8</sup> M-NCPPC planimetric topographic elevation contours.

<sup>&</sup>lt;sup>9</sup> National Wetlands Inventory, 1995.

#### **Water Resources** 3.1

Water resources include streams. lakes. ponds, drainage courses, floodplains. groundwater resources. aguifers, wetlands, and riparian stream buffers. These resources provide numerous benefits and should be protected and enhanced.

- Surface water resources, such as lakes, rivers, and streams, add beauty and diversity to the landscape, enhance the value of the property, provide recreational opportunities, serve as valuable habitat for plants and animals, and supply our drinking water.
- Wetlands play an important role in protecting water quality by trapping sediment, nutrients. and




Figure 1 The lakes of Kentlands and Lakelands

- Groundwater resources play an important role in the hydrological cycle and supply water for wells and springs. Although groundwater resources are not commonly associated with drinking water aquifers in Gaithersburg, groundwater is important due to its connection to surface water. During dry times of the year, groundwater feeds many of our perennial streams, thus sustaining aquatic ecosystems and surface drinking water supplies.
- Riparian areas are transitional zones between aquatic and terrestrial environments that occur along the banks of rivers, streams, and lakes. Riparian areas occurring along the banks of moving water (i.e., streams or rivers) are often called *lotic* systems whereas those occurring along the banks of stationary water (i.e., lakes, ponds, or pools) are called *lentic* systems. stream buffers are the bands of moisture-loving vegetation growing along the edge of natural water bodies that serve as the transition zone between aquatic and upland vegetation. These areas slow or alleviate floods, recharge groundwater, stabilize stream banks, trap sediment eroded from upland areas, and remove nutrients and other contaminants from runoff. Riparian areas also serve as shelter, nesting, and foraging sites that are critical wildlife habitat. Riparian areas often include the stream valley buffer, which is defined by the *Environmental Standards* as the strip of land parallel to a perennial or intermittent stream that is 100 to 150 feet in width and may

June 7, 2004 6 be expanded to include the floodplain, wetlands, wetland buffer, and hydraulic adjacent steep slopes.

Watersheds include the geographic areas that drain to any given body of
water. Watersheds supply our drinking water, provide critical habitat for
plants and animals, serve as areas of natural beauty, and support recreation.
Since watersheds intersect jurisdictional boundaries and ultimately affect the
health of the Chesapeake Bay, it is important that local and regional
governments coordinate watershed protection strategies.

#### **Baseline Conditions**

As illustrated Map in Gaithersburg contains over 24 miles of predominately first and second order perennial streams located in the Muddy Branch Watershed (2,985 acres) and the Great Seneca Watershed (3,418 acres). These streams ultimately drain into the Potomac River and then into the Chesapeake Bav. Map 2 presents Gaithersburg's major tributaries and water resources, including: 1) Muddy Branch, 2) Long Draught Branch, 3) Whetstone Run, and 4) Seneca Creek.

Approximately 191 acres of nontidal wetlands are found interspersed along these stream valleys. Additionally, there are approximately 20 man-made lakes and ponds scattered throughout Gaithersburg. Unfortunately, in many of these lakes, the water quality is impaired by excess sediment loading and nutrient runoff. These factors can lead to eutrophication, a condition that occurs in an aquatic ecosystem when



Figure 2 This Muddy Branch tributary is an example of "good" stream habitat. The stream is surrounded by a riparian forest buffer to provide shade and habitat; the banks are relatively stable and contain vegetation and fish cover; and there are riffles present to facilitate aeration.


high nutrient concentrations (primarily phosphorus, nitrogen, and carbon) stimulate algae blooms that deplete oxygen and result in fish kills. For example, Clopper Lake, an impoundment on Long Draught Branch located within Seneca Creek State Park, near Gaithersburg, was identified on Maryland's 1998 list of Water Quality Limited Segments (WQLSs) as being impaired by sediment and phosphorus loading.

June 7, 2004 7


In order to comply with Federal and State regulations and Montgomery County stream monitoring guidelines, the City recently completed a stream assessment to:

- Update the stream assessment performed in 1996 by EQR in order to determine improvements or degradation in stream quality.
- Assess water quality and stream health, using monitoring protocols for physical habitat, biology, and water chemistry, consistent with Montgomery County and the State of Maryland protocol to facilitate data sharing and comparison.
- Identify potential stream restoration sites throughout the City, helping to prioritize restoration projects and efficiently utilize limited funds.
- Identify potential citizen stream monitoring sites where citizens can perform biological and chemical monitoring and therefore increase community watershed awareness and foster a continuous monitoring program.

Map 1: Sub-Watersheds



Map 2: Water Resources



The stream assessment's methodology and results were recorded by Versar Inc., and are in the report titled An Ecological Assessment of Streams in Gaithersburg, Maryland: 2001-2002. The assessment concluded that urban development (i.e., increased imperviousness, uncontrolled stormwater, and inadequate buffers) has severely degraded the City's watersheds and streams. The stream assessment sampled a total of 17 sites that were either selected at random or targeted by the City as a special area of concern. The sites were sampled throughout the year and evaluated according to a combination of physical and biological parameters. Generally, physical habitat degradation is an extensive problem, especially in areas of the City that lack or have inadequate stormwater controls. Uncontrolled storm runoff contributes to bank instability, channel incision, high sedimentation, and excessive channel widening. Other problems include inadequate stream buffers, invasive species, litter, and poor water quality. Table 2 summarizes the stream assessment ratings for physical habitat, benthic macroinvertebrate indices of biologic integrity (IBI), and fish indices of biologic integrity (IBI). As indicated in Table 2, the majority of streams sampled are classified as Fair or Poor condition. Map 3 provides a geographical depiction of the stream monitoring results. This map highlights stream sites rated as Good and Fair condition that are in need of protection and the sites rated as Poor and Very Poor condition that considered candidate enhancement sites.





Figure 3 Important components of stream monitoring, habitat assessment (on left) and benthic macroinvertebrate sampling (on right), help to determine the physiological and biological health of a stream. These characterize stream health and water quality under present conditions and establish a baseline for evaluating future conditions as new developments are built.

Table 2: 2002 Stream Monitoring Results

Rating	Physical Habitat (percent of sites)	Benthic Macroinvertebrate Indices of Biotic Integrity (IBI) (percent of sites)	Fish Indices of Biotic Integrity (IBI) (percent of sites)
Good	18 %	0 %	0 %
Fair	24 %	6 %	18 %
Poor	41 %	76 %	24 %
Very Poor	12 %	18 %	24 %
Not Rated	6 %*	0 %	35 %**

City of Gaithersburg, 2002.

<sup>\*</sup>Stream monitoring sites were included in the assessment after physical habitat monitoring commenced; therefore consistent spring, summer, and fall data were not available to determine a rating.

<sup>\*\*</sup>Catchment areas were too small (less than 300 acres) to support significant fish populations.



Figure 4 Excessive stream bank erosion and channel downcutting along a tributary of the Muddy Branch creates a high priority stream restoration candidate site.


The stream assessment affirmed that the City's stormwater management (SWM) system performs an essential role in mitigating the effects of development on streams and surrounding environmentally sensitive areas. Gaithersburg's public and private storm drain system consists of over 3,600 inlets, approximately 100 linear miles of pipe, over 500 outfalls, and over 300 SWM best management practices (BMPs); including wet ponds. infiltration ponds. dry trenches. underground quantity structures. and water control

The stream assessment identified and ranked approximately 52 candidate stream restoration sites based on several criteria (e.g., protection of public safety, property and infrastructure, environment and stream habitat; economic feasibility; and probability of success, etc.). Map 4 illustrates the stream restoration candidate sites. Sites labeled as "Very Good" are considered a high priority since there is a clear need for restoration and a high probability of success. Sites labeled as "Good" or "Moderate" indicate lower priority restoration opportunities. Although these rankings are based on a number of technical factors, it is anticipated that the continuously changing nature stream conditions and other important factors may modify these rankings.




Figure 5 The stormwater management pond in Quince Orchard Park treats runoff, provides wetland habitat, and serves as a community amenity.

quality inlets. The stream assessment concluded that the City should ensure that properly functioning SWM structures are maintained, older SWM structures are retrofitted to better manage stormwater flows, and new SWM structures are created in older areas with inadequate SWM controls.



Map 3: 2002 Stream Assessment Results

City of Gaithersburg, 2002. An Ecological Assessment of Streams in Gaithersburg, Maryland: 2001-2002



**Map 4: Stream Restoration Candidate Sites** 

City of Gaithersburg, 2002. An Ecological Assessment of Streams in Gaithersburg, Maryland: 2001-2002

# **Watershed Protection and Enhancement Strategies**

There are several important State and Federal regulatory measures aimed at protecting water resources in Gaithersburg:

- As required by the Federal Clean Water Act (CWA), the Maryland Department of the Environment (MDE) established a State Water Use Classification and Anti-degradation Policy for streams throughout the state. Streams in Gaithersburg are classified as Use I-P: Water contact recreation, protection of aquatic life, and public water supply. Streams in this category should be suited for water contact sports; play and leisure time activities where the human body may come in direct contact with the surface water; fishing; the growth and propagation of fish (other than trout), other aquatic life, and wildlife; agricultural water supply; industrial water supply; and public water supply.
- MDE also established a Total Maximum Daily Load (TMDL) for phosphorus and sediment entering Clopper Lake. Municipalities, including Gaithersburg, within Clopper Lake's watershed are required to focus on improving water quality by reducing sediment and nutrient loads. Future watershed protection efforts for tributaries of Long Draught Branch, draining into Clopper Lake, should concentrate on reducing sediment and nutrient loads and increasing opportunities for nutrient uptake.
- Under the Clean Water Act, another important Federal regulation affecting water resources in Gaithersburg is Phase II of the National Pollutant Discharge Elimination System (NPDES) Stormwater Program. Under Phase II, the City is required to obtain a permit from MDE to control flows from the municipal separate storm drain system.

In addition to Federal and State regulations, local policies are also important components of a watershed protection program. The following outlines basic strategies to protect watersheds and water resources.

## Watershed Assessment and Planning

Partner with outside organizations, such as the U.S. Army Corps of Engineers and Montgomery County Department of Environmental Protection, to conduct watershed assessment and restoration plans for Great Seneca Creek and Muddy Branch. The watershed assessments will provide an in-depth analysis of land use, watershed conditions, impervious cover, and the adequacy of stormwater management controls in order to prioritize and design stream restoration and stormwater management retrofit projects and show where stream and stormwater management improvements should be made during infill and redevelopment. The watershed plans will incorporate the watershed protection and enhancement strategies identified in this plan

and will be used as a basis for all future local actions and programs to preserve and revitalize watersheds.

- Develop a prioritization and funding schedule for stream restoration and stormwater management retrofit CIP projects identified in the 2002 stream assessment, watershed feasibility studies, and stormwater management inspections.
- Whenever possible, incorporate bioengineering techniques in stream stabilization designs in order to restore the stream's pattern (bends and meanders), dimension (width, depth, and shape), profile (bed slope), and floodplain connection.
- > Seek grant funding from MDE and other organizations to fund restoration and retrofit projects.
- Continue to fund professional stream assessments, similar to the studies conducted in 1996 and 2002, to detect ecological degradation or recovery.

## Land and Riparian Buffer Conservation

- During the development review process, continue to require new developments to establish conservation easements to protect stream valley buffers, forests, and other sensitive environmental areas; as stipulated in the *Environmental Standards* and *Forest Conservation* ordinances.
- > Continue to enforce the 100-150 foot stream valley buffer setbacks.
- Utilize Program Open Space Funds and other grants to purchase lands to protect environmentally sensitive areas.
- > Maintain and enhance riparian buffers on public lands by planting native vegetation along unforested buffers and increasing "no mow" zones.
- > Obtain grants to conduct community-based riparian buffer restoration projects.
- > Identify options, such as public-private partnerships and technical assistance programs, to improve riparian buffers on private property.
- Improve the City's stream buffer and conservation easement programs by increasing public education, delineating conservation areas, and enforcing existing regulations in order to prevent dumping and encroachment upon these areas.

## Better Site Design

Reevaluate green space, landscape, roadway, forest conservation, stormwater management, and other zoning requirements to promote low impact development (LID). The intention of LID is to produce

innovative site designs that preserve vegetation, minimize impervious surfaces, maximize sheet flow and groundwater infiltration, and decrease the heat island effect on stream temperatures. Potential ordinance modifications involve increasing green space requirements, requiring parking lot and roof shading, disconnecting roof top runoff, clustering development, and incorporating "headwater streets" in design requirements.

Discourage waivers involving stream, wetland, floodplain, or buffer encroachments, stormwater management quantity control requirements, forest conservation requirements, and open space requirements.

#### Erosion and Sediment Control

Continue to reassess, per the NPDES Phase II Permit, structural and non-structural erosion and sediment control requirements; the plan review process and minimal acceptable standards; and inspection procedures to determine if current practices are effectively protecting water quality and habitat in City streams.

# Stormwater Management

- Per the NPDES Phase II Permit, continue to implement, enforce, and improve Gaithersburg's stormwater management program; including implementing MDE's 2000 Stormwater Design Manual, Chapter 8 of the City Code, and the Environmental Standards.
- Inspect public and private aboveground and underground stormwater management structures and require maintenance and repairs as necessary (e.g., removal of trees and shrubs on dam embankments, "mucking out" of sediment and grit, removal of trash and debris, mowing, fencing, etc.).
  - Require commercial properties to perform necessary SWM maintenance and repairs.
  - Develop a Homeowner Association (HOA) SWM technical and cost assistance program to support major SWM maintenance and repair projects. Residential property, held in common ownership by HOAs, is generally not adequately financed for large costly SWM maintenance and repair projects; therefore, a program is needed to prioritize and provide financial and technical support. Due to the requirements of Montgomery County's Water Quality Protection Charge, this program should also provide the HOA with the option to transfer the structural maintenance responsibility to the City. The transfer will occur after the HOA makes the necessary repairs to bring the structure up to "as built" conditions. Thereafter, the HOA will continue to perform

- regular maintenance (mowing, trash removal, etc.) and the City will perform structural maintenance.
- Continue to develop a maintenance and repair prioritization and funding schedule for publicly-owned SWM systems.
- > Improve existing structures and add new structures in areas of the City that lack SWM.
  - Utilize stream assessments, watershed assessments, and inspection results to develop a prioritization and funding mechanism to improve SWM in areas lacking appropriate controls. Support the maintenance and performance of existing stormwater management structures through a multi-year City Capital Improvements Program.
  - Require redevelopment and new development to upgrade SWM controls (especially in older areas of the City that lack adequate SWM.
  - Require developers to complete stream restoration and stormwater management retrofit projects that are critical to improving the condition of streams and watersheds.

## Pollution Prevention

- Per the NPDES Phase II Permit requirements, continue to develop and implement a plan to detect and eliminate illicit discharges into the storm drain system (e.g., sanitary wastewater, effluent from septic tanks, car wash wastewaters, improper oil disposal, radiator flushing disposal, laundry wastewaters, dry cleaning solvents, spills from roadway accidents, and improper disposal of auto and household toxics). Components of this plan include partnering with adjacent communities to investigate and resolve problems, promoting public education, updating the GIS-based storm sewer map, developing a GIS-based spills tracking system, and continuing to promote used oil and household hazardous waste collection and disposal programs.
- > Update the City's Environmental Management System (EMS) to prevent and reduce pollutant runoff from all municipal operations.
- > Encourage the reduction of fertilizer and pesticide runoff through the use of Integrated Pest Management (IPM).

# Watershed Stewardship

- > Develop and promote a public education campaign on the impact polluted stormwater runoff discharges have on water quality.
- > Utilize citizen volunteers to conduct stream monitoring in order to promote education, identify problems that may otherwise go

- undetected, and supplement information collected by professional organizations.
- Organize community watershed enhancement projects (e.g., stream cleanups, Community Cleanup Day, stream monitoring, storm drain stenciling, tree plantings, rain gardens, etc.).
- > Seek grant funding to support community based education and restoration projects.

# 3.2 Soils and Slopes

Different soil types possess dramatically different properties texture, structure. (e.g., strength) and consequently demonstrate varying abilities to support development. Soil characteristics causing limitations development include low permeability, high flood susceptibility, high shrink/swell potential, high susceptibility to erosion, and shallow depth bedrock. Steeper slopes amplify the risk of costly hazards and therefore limit use and development. According to the City's Environmental Standards for Development Regulation, a steep slope is defined as 25 percent greater. Identifying and



Figure 6 Steep slopes and erodible soils hydraulically adjacent to streams, as indicated in the above photo of the Muddy Branch, illustrate why these are sensitive areas in need of special protection.

protecting these vulnerable soils and steep slopes is important for a variety of public safety and environmental reasons.

- Highly erodible soils and steep slopes, especially those adjacent to watercourses, are often associated with flooding, erosion, water quality deterioration, and aquatic ecosystem damage. Appropriate protection and land use considerations should be given to areas prone to geologic and hydrologic hazards.
- Sites containing sensitive soils and steep slopes present development limitations and construction challenges. Proper structural engineering and construction techniques are required to prevent environmental degradation and ensure the safety of buildings and infrastructure.
- Historically, sites containing poor soils and steep slopes are difficult to farm, log, and develop. Consequently, they tend to remain undisturbed

- and have a propensity to develop unique, diverse plant and animal communities that should be protected.
- Protection of the natural topography and unique geologic areas often provides aesthetically pleasing open spaces.

#### **Baseline Conditions**

Gaithersburg lies in the physiographic region known as the Piedmont Province. The Piedmont is characterized by gently rolling and hilly topography. Upland soils in this region, those outside of stream valleys, are generally suited for development on flat topography. The greatest limitations to development in upland areas are the slope of the land, the degree of soil erodibility, and the depth to bedrock.

Soils presenting the most significant limitations to development, such as hydric soils, are commonly found in the stream valleys and present severe structural engineering limitations due to severe wetness, seasonal flooding, and high erodibility. Development in these areas is essentially restricted by Federal, State, and City regulations designed to protect these fragile riparian ecosystems.


Table 3 provides a list of erodible soils within Gaithersburg classified as having a severe hazard of erosion by the Natural Resources Conservation Service (NRCS). These soils should be incorporated into the property's open space and carefully managed during construction. Map 5 illustrates where soils of concern and steep slopes are present and require special protection measures. This map is based on general data from the 1995 Montgomery County Soil Survey; certain sites within the City may require a geotechnical study and further analysis to determine if limitations to development exist.

**Table 3: Erodible Soils Within Gaithersburg** 

16D	Brinklow-Blocktown channery silt loams, 15 to 25% slopes
18E	Penn silt loam, 15 to 45% slopes, very stony
21D	Penn silt loam, 15 to 25% slopes
21E	Penn silt loam, 25 to 45% slopes
21F	Nestoria-Rock Outcrop Complex, 25 to 50% slopes
57D	Chillum silt loam, 15 to 25% slopes
61D	Croom gravelly loam, 15 to 25% slopes
61E	Croom gravelly loam, 25 to 40% slopes
109E	Hyattstown channery silt loam, 25 to 45% slopes, very rocky
116E	Blocktown channery silt loam, 15 to 25%, very rocky

Source: U.S. Department of Agriculture, Natural Resources Conservation Service (NRCS), 1995 Survey of Montgomery County, Maryland

Map 5: Soils and Slopes



## **Soil and Slope Protection Strategies**

Identification and protection of sensitive soils and steep slopes will help protect Gaithersburg and downstream communities from hazards and costly maintenance. It is advisable to determine the steepness and erodibility of soils on slopes before deciding what grading can occur, whether buffers must be in place and whether any development can occur on the slope face. The following strategies should be employed to protect soils and steep slopes:

- Continue to implement the Environmental Standards to identify and protect steep slopes and erodible soils during the development review process. When such areas are identified, they should be incorporated into the site's open space, protected with conservation easements, and carefully managed during construction.
- If development on sensitive soils or steep slopes cannot be avoided, a geotechnical study must be prepared to protect against development hazards. The site design should minimize disturbance to these areas, incorporate special construction measures as identified in the geotechnical report, and involve the maximum use of erosion and sediment control measures during construction until the site is stabilized.
- In addition to protecting existing steep slopes, it is also important not to create new steep slopes and extensive retaining walls during development; especially within or near the stream valley buffer. Manmade steep slopes and retaining walls often present potential future concerns for safety, maintenance, and mowing. Whenever possible, slopes should not be created that exceed the 3:1 guidelines for safe and efficient mowing and maintenance. Fences should be constructed in cases where public safety is of concern.
- > Stabilize steep slopes and erodible soils as soon as practicable by planting and maintaining appropriate vegetation.

# 3.3 Open Space and Greenways



Open space and greenways consist of both public and private lands in cities, suburbs, and rural areas. Smart growth uses the term open space broadly to mean parks, woodlands, and other natural areas. These areas function important as community space. critical environmental areas, plant and animal habitat, recreation sites, agricultural lands, and places of natural beauty. Greenways are protected corridors of space connecting environmental, cultural. historic.

recreational resources. Some greenways are pristine corridors that provide habitat and safe passage for animals and plants; others are trails for hikers and bikers that are designed for recreational use. Greenways may include a protected streambed, a forested corridor, a ridgeline, a stream valley park, or a converted railroad or utility right-of-way. This interconnected network of open space and greenways comprises Gaithersburg's **green infrastructure** that supports natural systems and contributes to our community's health and quality of life.

The preservation and management of the quality and supply of open space and greenways provides numerous fiscal, recreational, and environmental benefits that enhance our quality of life. Such benefits include:

- providing recreation opportunities;
- increasing local property values;
- preserving habitat and migratory corridors for plants and animals that support biodiversity;
- protecting areas of natural beauty;
- providing connections between City neighborhoods and reducing automobile dependency; and
- providing other indirect environmental benefits such as protecting water quality, storing water for flood control, mitigating air pollution, attenuating noise, controlling wind, providing erosion control, and moderating temperature.

## **Baseline Conditions**

Map 6 illustrates Gaithersburg's existing open space and greenway network; including State and County parks, City-owned lands, privately-owned open space, and existing and proposed bikeways and pedestrian trails. Gaithersburg's greenways commonly follow stream valleys; providing important regional connections between Gaithersburg and the Potomac River.

The Muddy Branch Greenway is the City's most extensive open space and greenway system. This greenway contains Bohrer Park at Summit Hall Farm. Morris Park. Malcolm King Park, Izaak Walton League conservation areas, and City-owned parcels within Washingtonian Woods and Lakelands. Extending outside of City, the greenway connects to Muddy Branch Park and Blockhouse Point Park and ultimately reaches the Potomac River.



Figure 8 Duvall Park, located at the end of Holly Drive off of Gaither Street, contains three acres of recreational areas and woodlands.

- The Seneca Creek Greenway recreational areas and woodlands. contains another large open space and corridor network. Beginning with the 21 acre parcel of City-owned parkland known as Casey-West, it follows a Seneca Creek tributary through a mixture of agriculture and forested lands in the Casey-Metropolitan Grove Study Area, west of Interstate 270. The greenway network continues to Seneca Creek State Park until it reaches the Potomac River. The protection of open space and the creation of a greenway path network in this area is an important priority to be considered in plan review for future development.
- The Whetstone Run Greenway occurs along two tributaries within the City.
  One greenway begins in Maple Lake Park in Washington Grove, runs through
  Kelley Park and Victory Farm Park, and extends north to Forest Oak Middle
  School. The second greenway begins at Watkins Mill Pond, continues
  through Blohm Park, and connects to Seneca Creek State Park.
- The **Long Draught Greenway** consists of Diamond Farms Park and Robertson Park and connects to Seneca Creek State Park.
- There are several sub-greenways within the City that provide important transportation connections between various neighborhoods throughout the City. Additional information about these resources is provided in the *Transportation* and *Community Facilities* elements of the Master Plan.

Map 6: Parks, Trails and Greenways

# **Draft Environment Element** Trails @2003 City of Gaithersburg, Greenways courtesey of MD Dept. of Natural Resources. Legend Parks, Trails & Greenways Planimetric basemap, including roads, slopes, and topography, \$2003 M-NCPPC and City of Gaithersburg. All rights reserved. City Boundary -County Roads 1 inch equals 3,200 feet Trailii — Paued — Naturali Parkii 1,500750 0 1,500 The City of Gathersburg makes no warranty, express or implied, for the completeness and accuracy of the information depicted on this map. Harming and Code 31 S Summit Ave —City of Gattle risburg —Other Municipalities Gaithersburg, MD 20877 (301) 258-6330 This map may not be reproduced, in whole or in 500 250 0 500 Meters part, without the express written permission of the City of Gathersburg and other referenced parties. MD State Plane Greenway I wei grifhersburg mdus Parks Trails Greenways.mnd · 25-March 2004 - jke kas HPGN NAD 83/91 Cloppe 28

# **Open Space & Greenway Protection and Enhancement Strategies**



Figure 9 Little Quarry Park provides a prime example of a "pocket park" tucked into a secluded woodland in the Kentlands neighborhood.

The development of а comprehensive open space and greenway network frequently involves multiple jurisdictions. Therefore, sharing information on future plans, progress and obstacles is essential known developing an extensive connected system. Gaithersburg will continue to work with regional and state governments, citizen groups, and private organizations to coordinate efforts to preserve and establish new open space and greenway corridors with linkages to the regional network. Greenway plans will emphasize connections to many destinations within and around

Gaithersburg; including parks, community centers, schools, commercial centers, and public transportation centers. Challenges to developing an open space and greenway network include: 1) maintaining and enhancing existing resources; 2) identifying and prioritizing new lands needed to protect sensitive areas; 3) satisfying park and recreational needs; and 4) securing critical trail and pathway linkages. The following are strategies to protect, enhance, and promote Gaithersburg's open space and greenway network:

- Ensure that new residential development has sufficient and appropriate recreation land and open space to meet the needs of new residents and to integrate with the broader network. As an absolute minimum, developers shall be required to retain at least five percent of the developable area as open space or parkland suitable for active recreation use.
- Evaluate local planning and zoning requirements that have a major impact on open space and greenway corridors.
  - Examine the desirability and legal feasibility of adopting an open space zoning category.
  - Research existing subdivision regulations to review the subdivider's or developer's responsibilities for dedication of land for greenways and the compliance with Master Plan requirements.
  - Review and analyze existing and potential right-of-ways (ROW's) for greenway paths in order to develop a comprehensive greenway plan.
  - Evaluate the definitions and requirements for green/open space in each zone.

- Develop design standards to guide the development of parks, trails, and open space; including a consistent method for signage and a hierarchy of pathway sections for different pathway functions and environmental conditions.
- Consider a cash-in-lieu of land ordinance that requires developers to pay into a City Parks and Recreation fund if they cannot provide adequate green space, parklands, and recreation facilities on-site as part of their development. The City fund will be used for parkland acquisition and the construction of new recreation facilities.
- Develop a plan to prioritize, identify funding sources, and implementation strategies for establishing additional parks, open space, and greenways.
  - Continue to develop a GIS-based inventory of public lands, easements, privately owned green space, and trails.
  - Determine gaps in the open space and greenway network and identify parcels appropriate for land acquisition, easements, land swaps, and cooperative agreements.
  - Pursue redevelopment strategies that will increase the availability of open space and parkland.
  - Redesign infrastructure to increase public green space in existing neighborhoods.
- Create safe pedestrian and bicycle routes between residential areas, parks, open space areas, commercial areas, and transportation centers, such as the Shady Grove Metro Station, Olde Towne/ Metropolitan Grove MARC Stations, and stops along the future Shady Grove-Clarksburg Transitway.
- Prepare and implement plans to maintain and enhance existing open space and greenways. These plans should include strategies to renovate and enhance existing recreation facilities and trails, restore stream banks and stream valleys buffers, and enhance the ecological and aesthetic value of ponds, streams, and other open spaces.
- Promote community awareness regarding the importance and availability of open space and greenways.
  - Produce a single user-friendly map of public parks and greenways in Gaithersburg.
  - Develop a greenway education program that includes a series of informative and interpretive signs that provide directional information, wildlife and plant life information, and trail identification.

> Continue to research and obtain state and federal funding to finance open space acquisition and development, trail enhancement and maintenance, and habitat restoration.

# 3.4 Forests and Landscapes



Figure 10 Gaithersburg's landscape and forestry management programs have earned numerous awards.

The urban forest comprised of trees and woodlands undeveloped lands, lands, private property, and along streets. Landscaping includes the trees, shrubs, and herbaceous species on parks and private lands that provide aesthetic value and habitat for wildlife. Not only is the size and availability of these areas important. the species composition within these areas is significant. Some species better suited for a particular environment and provide greater ecological and aesthetic value. Native plants, for example, are better adapted to local physical,

climatic, and ecological conditions. This results in lower use of fertilizers or pesticides, little supplemental watering or seasonal care, and greater wildlife and ecological value. **Invasive exotic plants** are species intentionally or accidentally introduced, by human activities, into a region where they did not originate. Since invasive exotic species have few natural controls, they frequently out-compete native plants, impact native wildlife, and change entire ecosystems.

A thriving urban forest and landscape network provides multiple ecological, economic, and aesthetic benefits:

- Creating a sense of place and making communities more attractive and livable with a tendency to increase property values.
- Providing habitat for wildlife and supporting ecosystems that otherwise would not exist in an urban area.
- Providing a connection with nature, in an urban setting, that creates recreation and education opportunities.
- Filtering the air by absorbing green house gases and trapping airborne particulates and other pollutants.
- Improving stream water quality and quantity management, by reducing stormwater runoff, filtering sediment and pollutants, providing stream bank protection, and preventing soil erosion.

- Supplying shade and other climate control measures to reduce the heat island effect, <sup>10</sup> which consecutively affects the ambient temperatures and thermal impacts of stormwater runoff, energy use, concentrations of ground level ozone, and human health.
- Reducing heating and cooling energy costs for buildings.
- Abating noise pollution by absorbing and blocking urban noise.

## **Baseline Conditions**

According to Maryland National Capital **Planning** Park and Commission's (M-NCCPC) 1999 tree cover analysis, Gaithersburg contains approximately 1,657 acres of urban forest. Map 7 displays Gaithersburg's forests and tree canopy coverage. Overall, forest resources within the City tend to be fragmented by developments, utilities, sewer lines, and road crossings. Despite this fragmentation, there are still a few remaining tracts of mature woodlands within the City. According to the map, it is apparent that the majority of forest



Figure 11 Tree canopy covers approximately 26% of the City.

resources are located along stream valleys and public parks. These areas generally contain steep slopes and wet soils that have historically limited logging, agriculture, and development. The *Environmental Standards* protect these sensitive areas. Other large tracts of forest are located in the Casey-Metropolitan Grove Study Area and along the Muddy Branch. Natural resource inventories indicate that these areas are potentially large enough to support forest interior dwelling species (FIDS) (see Wildlife section). Additional special protection measures are needed to protect these resources during development. Significant tree canopy coverage is also evident in older neighborhoods containing mature street trees.

The condition and species composition of Gaithersburg's urban forests are based on such factors as the type of land use, topography, soil, sun exposure,

June 7, 2004 30

-


<sup>&</sup>lt;sup>10</sup> According the U.S. Environmental Protection Agency, heat islands form as vegetation is replaced by asphalt and concrete for roads, buildings, and other structures necessary to accommodate growing populations. These surfaces absorb – rather than reflect – the sun's heat, causing surface temperatures and overall ambient temperatures to rise. The displacement of trees and shrubs eliminates the natural cooling effects of shading and evapotranspiration (a natural cooling process in which water transpires from a leaf's surface and evaporates into the atmosphere, reducing ambient temperature).

invasive plants present, and maintenance regimes. Gaithersburg's forests are typically categorized as mature deciduous forests, young mixed deciduous and coniferous forests, or early succession forests. Typical species include white oak (*Quercus alba*), northern red oak (*Quercus rubra*), red maple (*Acer rubrum*), silver maple (*Acer saccharinium*), sweetgum (*Liquidambar styraciflua*), green ash (*Fraxinus pennsylvanica*), eastern sycamore (*Platanus occidentalis*), black cherry (*Prunus serotina*), and the tulip tree (*Liriodendron tulipifera*). Other common native species are included in Appendix B.


Agriculture and development disturbance have fragmented forests and created woodland "edge" areas. These edge areas are more susceptible to exotic invasive vegetation that rapidly grow, invade habitats, displace other species, and modify ecosystems. Such species include garlic mustard (*Alliaria petiolata*), multifloral rose (*Rosa multiflora*), Japanese honeysuckle (*Lonicera japonica*), mile-aminute (*Polygonum perfoliatum*), tree of heaven (*Ailanthus altissima*), Japanese stilt grass (*Microstegium vimineum*), and pampas grass (*Cortaderia selloana and C. jubata*). Appendix C provides a comprehensive list of common exotic invasive species found in Maryland. There is a regional effort to promote an education and maintenance program to deter the growth of invasive species and, whenever possible, utilize native plants in landscaping for new developments.

The City's Capital Improvements Program, Forest Conservation Fund, and Landscape and Forestry Program support reforestation, street tree planting and maintenance, and the enhancement of landscaped areas. In efforts to restore habitat and forest buffers, the City uses Forest Conservation Funds or works with developers to perform reforestation projects. Map 8 provides a preliminary overview of potential reforestation receiving sites throughout the City. Priority sites include stream valley buffers, steep slopes, public parks, connections between existing forest areas, potential habitat areas, and areas of scenic value. The City's tree planting and landscape enhancement projects, performed under the guidance of the Beautification Committee, have helped the City earn the "Tree City USA" designation for over fourteen years. An important component of this program is planting and maintenance of street trees. Map 9 provides a preliminary inventory of the street trees in Gaithersburg. Street sections identified in this map that either lack street trees or have irregular planting patterns are priorities for future enhancement projects. A more comprehensive GIS-based inventory and analysis of the City's street tree network should be conducted to aid in future project planning and maintenance.


Map 7: Tree Canopy Coverage





**Map 8: Potential Reforestation Receiving Areas** 





Map 9: Preliminary Street Tree Inventory











## Forests and Landscapes Protection and Enhancement Strategies

Gaithersburg seeks to maintain a thriving "urban forest" that provides ecological, economic, and aesthetic benefits. Management of these resources involves protecting existing forests and specimen trees, reforesting priority planting areas, improving canopy coverage in streetscapes and landscape areas, requiring landscaping around buildings and in parking lots, controlling invasive species, and promoting the planting of native species.

The City's *Tree Manual* and Chapters 21 and 22 of the City Code govern the protection of forests and specimen trees. Forest conservation measures include minimizing tree clearing, retaining specimen trees, and requiring reforestation and tree replacement for areas that are unavoidably cleared. A major goal of the forest conservation program is to protect existing trees and to ensure that tree planting (afforestation/reforestation) occur onsite. However, when the requirements cannot be met on-site, there are provisions for conducting off-site planting and, as a last resort, paying a fee to the City's forest conservation fund for future reforestation projects. The following are strategies to protect and enhance Gaithersburg's forest and landscape network.

- Continue to implement, enforce, and improve regulations and recommendations associated with the Maryland Forest Conservation Act, Chapter 21 of the City Code (Tree and Vegetation- Public Lands), Chapter 22 of the City Code (Tree and Forest Conservation), and the Tree Manual in order to better protect and enhance forest resources.
- Evaluate the definitions, requirements, and guidelines for forests and landscaping in local planning and zoning requirements. Make necessary modifications to improve forest and tree protection and to increase tree canopy coverage.
  - Create stronger requirements and incentives to protect specimen trees and forests located outside of stream valley buffers; especially significant upland forests and areas where forest interior dwelling species may live. Consider prohibiting developments with existing forests from clearing past the "break even point" and mandating developments without forests to meet afforestation requirements on site.
  - Create landscaping guidelines that require shade trees adjacent to buildings and in parking lots to reduce energy costs, shade paved areas, and reduce the "urban heat island" effect.
  - Require new development projects to place wooded stream buffer areas in a conservation easement and educate landowners on the importance of long-term conservation easements.
  - Require new development/redevelopment to preserve or create landscape buffers to provide visual separation and noise mitigation from major roads.

- Require a minimum percentage of native species in landscape plans, as found in Appendix B. The remaining plant materials in forest and landscape plans should not be exotic invasive, as found in Appendix C.
- Achieve "canopy closure" and biodiversity in street tree design by encouraging the use of a variety of shade trees that will prevent the risks associated with monoculture. The U.S. Department of Agriculture and the Center for Urban and Community Forestry recommend that no more than 10% of any single genus be planted in a neighborhood to protect from the effects of disease.
- Adopt Thoroughfare Design Standards which include landscape standards and planting width standards by street type.
- Require underground utilities, whenever possible, to reduce the negative effects of overhead lines on tree health and canopy coverage.
- > Create City Street Tree Enhancement and Reforestation Plans:
  - Utilize Geographic Information System (GIS) to analyze Gaithersburg's forest network to determine the locations of existing forests, general forest health, forests protected by conservation easements or in public ownership, priority forest protection areas, and potential reforestation areas.
  - Record a series of "standard" forest conservation easements that can be referenced on plats (similar to the Public Improvement Easement (P.I.E.) and Public Utility Easement (P.U.E) programs).
  - Create a spatially-referenced inventory of forest conservation easements and identify locations of potential new areas.
  - Utilize Geographic Information System (GIS) to develop a comprehensive inventory of street trees and specimen trees on public lands; including information on location, species diversity, condition, and maintenance needs. This inventory will also locate prominent specimen trees in need of protection and guide streetscape planning and maintenance. Until a more thorough assessment of street trees can be conducted, Map 9 provides a general overview of the presence of street trees throughout the City and provides preliminary guidance for future street tree enhancement projects. This map identifies areas containing uniform plantings, containing irregular or partial plantings (due to storm damage, die-off caused by age, or physical barriers such as overhead utility lines, narrow planting beds, paved medians, etc,) and lacking plantings along the curb or in the median.
  - Coordinate with a landscape architect and the City Beautification Committee to develop a Street Tree Master Plan for all City streets to guide tree planting.

- Develop a comprehensive map that prioritizes reforestation and forest enhancement areas to improve the quantity and health of the urban forest network. This should include infill planting, trash removal, invasive species removal, and general maintenance needs. This map will prioritize reforestation projects funded by the Forest Conservation Fund or performed by developers to meet offsite planting requirements. Map 8 provides a preliminary overview of potential reforestation receiving sites throughout the City.
- Establish planting guidelines that encourage the use of native plants, providing aesthetic pleasure, wildlife habitat, and watershed protection benefits.
- Continue to research and obtain outside funding to support reforestation projects on public and private lands (i.e., Department of Natural Resources' Buffer Incentive Program, Urban and Community Forestry Funds, Chesapeake Bay Trust, etc.).
- > Continue to educate the community about urban forestry; including proper maintenance of trees, plant selection, planting location, the importance/requirements of forest conservation easements, and management of native and exotic invasive species.
- Continue support volunteer-based tree planting, invasive species removal, stream/park clean-up projects.
- > Adequately fund the City's Capital Improvements Program to plant and maintain public trees.
- > Seek grant funding to support community education and reforestation projects.

#### 3.5 Wildlife

Urban wildlife is any wild creature that lives in an urban environment or an interface; including urban-rural birds, reptiles, amphibians, mammals, fish, and insects. Preserving wildlife habitat is important because of aesthetic, ecologic, educational, historic, recreation, scientific, and economic values associated with wildlife. For instance, recreational activities such as bird watching, hunting, and fishing all dependent upon wildlife. are Subsequently, these activities support the economic values associated with wildlife.



Figure 12 In recent years, Gaithersburg residents have seen more white-tailed deer (*Odocoileus virginianus*) than ever before.

Unfortunately, numerous wildlife and plant species, in the United States, have been rendered extinct or threatened as a consequence of development pressures and

agricultural operations. These human actions have significantly reduced or fragmented habitat and migration corridors. For this reason, the federal Endangered Species Act (ESA) was created to protect endangered and threatened species, as well as their habitat. The purpose of the ESA is to "conserve the ecosystems upon which endangered and threatened species depend and to conserve and recover listed species." The Maryland Department of Natural Resources (DNR) maintains a list of species listed as rare, threatened or endangered, species in need of conservation, or a watchlist species<sup>11</sup>. In addition to ESA species, forest interior dwelling species (FIDS)<sup>12</sup>, particularly birds, require large tracts of unfragmented woodland to supply their life requisites. These species are extremely vulnerable to the fragmentation of woodland areas. Consequently, special protection measures are needed to ensure the quantity and quality of their habitat.

June 7, 2004 42

\_

<sup>&</sup>lt;sup>11</sup> "Watchlist Species" are species that are uncommon and/or experiencing severe declines in population size or range in Maryland but are not actively tracked by the Heritage and Biodiversity Conservation Program. Total statewide populations of watchlist species are generally within the 21-100 range.

<sup>&</sup>lt;sup>12</sup> Common FIDS species include songbirds, warblers, vireos and tanagers as well as some woodpeckers, hawks and owls. <u>According to Maryland Partners in Flight, the Chesapeake Bay Critical Area Criteria, and the Cornell Lab of Ornithology, there are numerous recommended management strategies to protect FIDS habitat. Management strategies should be evaluated on a case-by-case basis; however, some local strategies may include avoiding the loss of even small forests (less than 25 acres) and maximizing the amount of existing riparian forests (those of at least 300 feet in width which occur adjacent to streams and wetlands).</u>

The key to protecting wildlife is protecting habitat. Wildlife habitat preservation is traditionally accomplished by federal regulation; enacted once a species has been listed as "threatened" or "endangered". Unfortunately, this after-the-fact protection method does not provide adequate prevention measures. A better approach is to incorporate wildlife habitat preservation into the local or regional planning process. Proper wildlife protection planning should ensure adequate space and habitat for basic life requirements:

- Safe, undisturbed areas for breeding, both on land and in the water;
- Shelter, which can be underground, in the soil, on the land surface, in water, or in trees and shrubs;
- Food supply, which may require suitable habitat for the plants and animals that provide the food supply;
- Migratory routes; and
- Overwintering areas for those species that require seasonal migration for shelter or breeding.

## **Baseline Conditions**

The Maryland Natural Heritage Program (NHP), administered by the Department of Natural Resources (DNR), is the lead state agency responsible for the identification, ranking, protection, and management of nongame, rare, threatened, and endangered species (RTE) and their habitats in Maryland. Data collected by NHP ecologists, contractors, and cooperators provide the scientific foundation for the RTE species lists. According to NHP, there is evidence that the following ESA plant and animal species are found in Gaithersburg:

- 1. Calystegia spithamea, Low Bindweed rare (1951)
- 2. Cistothorus platensis, Sedge Wren threatened (1978)
- 3. Lygodium palmatum, Climbing Fern threatened (1907)
- 4. Scutellaria leonardii, Leonard's Skullcap threatened (1939)

Appendix D provides additional information regarding the potential RTE species. Natural resource inventories have also identified forested areas, such as the Casey-Metropolitan Grove Study Area, the Casey-Goshen tract, and along the Muddy Branch, with the potential to support watchlist species and FIDS bird species. The City should continue to identify the locations and habitats of such species and establish appropriate protection measures.

Other common urban wildlife include white-tailed deer, beaver, Canadian goose, raccoon, red fox, Virginia opossum, skunk, eastern cottontail rabbit, eastern

gray squirrel, brown bat, and assorted bird species. These types of wildlife can add to the enjoyment of everyday life and provide many benefits in an urban setting. Nevertheless, certain species of wildlife create management challenges. Widespread modifications to habitat. coupled with a lack of natural predators to populations. control have created problems with white tailed deer, Canadian geese, and beaver. For example, increased white-tailed deer populations have resulted in increased deer-auto collisions and damage to crops and landscaping. Beaver activity has increased in our stream valleys leading to altered tree damage and stream channels. There is also an increase in



Figure 13 The conditions in Maryland are favorable for Canadian geese (*Branta canadensis*), there is an abundant food supply and no natural predators; consequently, their populations have increased significantly.

the number of Canadian geese that have taken up residence in this area; thus creating problems with territorial behavior, abundance of goose droppings, and decline in water quality.

#### Wildlife Protection and Management Strategies

The challenge of wildlife protection and management is working within the community to enhance those parts of the urban environment that contribute to the survival and diversity of desirable wildlife while minimizing the effects of nuisance species. Standard wildlife habitat protection measures include land acquisition, establishing conservation easements, and forest restoration. Community-wide education programs are also encouraged to foster wildlife appreciation and tolerance. The following strategies are aimed at preserving and enhancing wildlife habitat and ensuring compatible human-wildlife interactions.

- Utilize wildlife surveys, from organizations such as the Maryland Department of Natural Resources Heritage and Biodiversity Conservation Program, to identify and protect existing habitat locations for rare, threatened, and endangered species in need of conservation (RTE), forest interior dwelling (FID) species, and State watchlist species.
- > During the development review process identify, protect, and enhance wildlife habitat areas.
  - Collaborate with the National Heritage Program to review projects for proposed construction that could impact threatened or endangered habitats.
  - Provide special habitat protection measures for areas supporting RTE, watchlist, or FID species. Depending upon the species, the

minimum area required to provide suitable habitat varies and must be evaluated on a case by case basis. For example, the Chesapeake Bay Critical Area Criteria identifies potential FIDS habitat as, existing forests buffering streams and wetlands with a minimum of 300 feet in width on each side of a stream.

- During plan review, maintain corridors for safe wildlife movement, prevent fragmentation of large undeveloped tracts of wooded and open parkland, and maintain structural and plant-species diversity within vegetated areas.
- When development will occur on a parcel with a listed species habitat, the development should be clustered on that portion of the parcel to minimize adverse impacts.
- Prevent the construction of fish migration barriers (e.g., manmade structures such as dams, culverts, or weirs) during development and remove existing fish barriers where feasible.
- Direct reforestation to stream valley buffers, floodplains, connections between and additions to forested areas, critical habitats, steep slopes, and land use buffers.
- Where development is expected to impact wildlife or habitat on a site, require site development packages to include a Wildlife Management Plan, as outlined in the Environmental Standards for Development Regulation.
- Collaborate with regional efforts to study and develop strategies to minimize human-wildlife conflicts.
- Develop habitat enhancement strategies to encourage desirable urban wildlife habitats on public and private land. Such strategies, like BayScapes, involve conservation landscaping, water conservation, wildlife habitat creation, and the use of Integrated Pest Management. Along with reducing pollution and protecting the quality of our streams, BayScapes provide diverse habitats for songbirds, small mammals, butterflies, and other creatures.

#### 3.6 Air Quality

Air pollution affects human health, soil and water quality (via deposition), forest and tree health, visibility, property, and agricultural productivity. Major criteria air pollutants in this region include level-ozone, around carbon monoxide, nitrogen dioxide. particulates, and sulfur dioxide. There are also toxic air pollutants, also known as hazardous pollutants, which are those pollutants that are known or suspected to cause cancer or other serious health effects, such as reproductive effects or birth




Figure 14 On-road mobile sources, such as the traffic on Interstate 270, account for 34% of NOx emissions and 35% of VOC emission in Montgomery County.

defects. The U.S. Environmental Protection Agency has listed approximately 188 hazardous air pollutants, examples include: benzene, which is found in gasoline; perchloroethylene, which is emitted from some dry cleaning facilities; methylene chloride, which is used as a solvent and paint stripper by a number of industries; and metals such as cadmium, mercury, chromium, and lead compounds. The management of air quality is considered an important regional challenge since atmospheric pollutants travel long distances and cross geographical boundaries.

#### **Baseline Conditions**

The entire Washington Metropolitan Area, including Gaithersburg, falls into the "severe" non-attainment classification for EPA's one-hour ozone standard. This means that, on average, ground level ozone in the region's airshed greatly exceeds the federal standard for what constitutes healthful air. The ground-level ozone precursors, NOx and VOCs, are of primary concern in Montgomery County. Figure 1 presents the sources responsible for contributing to NOx and VOC emissions in Montgomery County, according to 1999 Periodic Emissions Inventory (PEI) compiled by the Metropolitan Council of Governments. Point sources are stationary sources that emit more than 10 tons per day of emissions. Area source emissions include small industries, such as bakeries, dry cleaners, paint works, printing facilities, and auto repair facilities. Non-road sources include construction and farming equipment. commercial and residential lawn and garden activities, and recreation boating. Onroad or mobile sources are emissions from transportation sources and are estimated from regional transportation models. As depicted in the pie chart in Figure 15, the main sources of NOx emissions are point source (45%), on-road mobile (34%), nonroad (18%), and area (3%). While the main sources of VOC emission are area (41%), on-road mobile (35%), non-road (23%), and point source (1%).






Figure 15 NOx and VOC emission in Montgomery County. Source: Montgomery County Department of Environmental Protection, 2003.

Similarly, it is expected that Montgomery County will be designated as a "nonattainment" area for the stricter 8 hour ozone standard and the new fine particulate matter (PM 2.5) standard. Montgomery County also has the highest levels of air toxins in Maryland. EPA's toxic database shows that Montgomery County and the surrounding areas have extreme levels, above the 95th percentile, of some notable air toxics such as perchloroethylene (from dry cleaners), diesel particulate matter, and mercury (from power plants).

#### **Air Quality Improvement Strategies**

Although Gaithersburg does not conduct its own independent air pollutant monitoring program and does not directly manage regional air quality, local policies can ensure that Gaithersburg is contributing its fair share to improve air quality. Gaithersburg can develop a "Clean Air Counts" initiative, modeled on programs from other localities, that incorporates many of the following strategies:

- Participate in regional efforts to reduce air pollutants in the Washington, D.C. metropolitan area, such as Montgomery County's Air Quality Protection Strategy.
- Educate the community about ways to reduce emissions from public activities (e.g., avoiding outboard motors, car pooling, properly maintained automobiles, alternative transportation options, etc.).
- Coordinate with Montgomery County's "Environmental Partners Program" to reduce emissions from area sources, such as service stations, paint manufacturers, dry cleaners, and bakeries.
- > Promote green building design methods and technologies that support energy efficiency in municipal, residential, and commercial buildings.

- Evaluate local government facilities and operations such as municipal buildings, street lighting, recreation facilities, and fleet management for ways to promote energy efficiency and reduce emissions.
- Reduce emissions from City fleet and operations by replacing passenger cars with hybrid-electric vehicles or other clean-technology vehicles.
- Reduce dependency on automobile travel by providing increased transit opportunities by encouraging development and redevelopment to provide bike lockers/ racks and dressing areas; and by creating sidewalks and biking trails that connect to centers for employment, shopping, and residential areas.
- Purchase power from zero emission sources through the County's joint procurement effort. The goal of this program is to purchase 5 percent of the power from zero emission sources, such as wind energy, that are located within sufficient geographic proximity to provide a local air quality benefit.
- Protect and increase tree canopy forest cover in order to remove air pollutants and reduce energy use for heating and cooling. For example, American Forests has developed tree canopy coverage goals for urban and suburban areas. These guidelines recommend: 1) 50% tree canopy coverage in suburban residential areas; 2) 25% tree canopy coverage in urban residential areas; 3) 15% tree canopy coverage in central business districts; and 4) 40% tree canopy coverage overall.
- Work with Maryland and Montgomery County to publicize such programs as the Small Business Pollution Compliance Loan Fund, Tax Credits for Employer-Provided Computer Benefits Program, Ozone Action Days, and Commuter Services.

#### 4. URBAN ENVIRONMENT

Sustaining and enhancing the quality of life and environmental health in our community is a central goal of Gaithersburg's comprehensive plan. As stated in the Maryland Planning Act, a community master plan must include measures that foster resources conservation; including the reduction of resource consumption. Therefore, Gaithersburg must not only focus on protecting natural resources; but also where we build, how we build, and how we consume resources. Sustainable practices and policies are those that synergistically support environmental health and quality, economic well being, and community equity and vitality. Sustaining the quality of the urban environment involves smart growth, green building, sustainable redevelopment and historic preservation, air quality, noise pollution, light pollution, and solid waste and recycling. Through proper planning, Gaithersburg can conserve resources as well as enhance the community's quality of life.

#### 4.1 Smart Growth

1997 General Maryland's Assembly passed five pieces of legislation and budget initiatives-Priority Funding Areas, Brownfields, Live Near Your Work, Job Creation Tax Credits, and Rural Legacy-known collectively as "Smart Growth." Smart growth combines environmentallysensitive land development with the goals of minimizing dependence on transportation, reducing auto pollution, and making infrastructure investments more efficient. One of the key principles of smart growth is preserving open space, farmland, natural beauty, and critical and environmental areas.



Figure 16 Washingtonian Center is an award winning smart growth development that incorporates a mix of uses, a pedestrian friendly streetscape, structured parking, and attractive community spaces.

#### **Baseline Conditions**

The City of Gaithersburg, in July of 1999, adopted the Smart Growth Policy to provide overall guidance to the City's Master Plan as it relates to land use, transportation, infrastructure, and funding priorities. Adopted as an element of Gaithersburg's Master Plan, the Smart Growth Policy is designed to act as an umbrella policy over all elements of the Plan, and serves to coalesce several existing City programs into a unified policy statement. It provides further guidance as to the quality of development that the City both encourages and anticipates for its future. Under the definitions of the State's Neighborhood Conservation and Smart

Growth legislation, the entire City of Gaithersburg is considered to be an "area appropriate for development."

#### Smart Growth Strategies

The City has demonstrated its commitment to Smart Growth by developing its own criteria that parallel the State's goals while also addressing the particular needs of Gaithersburg. Further discussion of State Smart Growth priorities and programs as well as Gaithersburg's goals and strategies is located in the *Smart Growth* section of the Master Plan (located elsewhere in the Master Plan).

#### 4.2 Green Building

Buildings significantly impact our natural environment, economy, health, and productivity. Nationally, buildings account for 36 percent of all primary energy use, 65 percent of electricity use, 30 percent of raw materials consumed, and 12 percent of potable water consumed. addition, building construction and demolition wastes generate 30 percent of all non-industrial waste. Due to the extent that buildings affect the principle of the environment, "green building" has gathered momentum throughout the country. Gaithersburg recognizes that changing the way that buildings are designed, constructed, and operated can have a profound impact on the environment and human health, and therefore encourages "sustainable," or "green" building practices to be applied in both public and private development.



Figure 17 The Chesapeake Bay Foundation's Philip Merrill Environmental Center, in Annapolis, Maryland, was the first building to receive a LEED Platinum Rating from the U.S. Green Building Council.

Green building is a collection of land use, building design, construction, and operation and maintenance strategies that maximizes environmental and economic performance. For example, green building principles and practices include minimizing site disturbance, conserving and reusing water, treating stormwater onsite, maximizing the use of local materials, purchasing recycled materials, optimizing energy performance by installing energy efficient equipment and systems, optimizing climatic control through site orientation and design, integrating natural day-lighting and ventilation, improving indoor air quality to enhance occupant health and comfort, and using renewable energy. At its best, green building regards a building as a

system, and choices made in construction or renovation consider the overall function of the system.

There is a growing body of research conclusively demonstrating that green building yields environmental, human health, and financial benefits. Studies show that students in "green schools" progress more quickly, workers in healthy buildings are more productive, and shoppers buy more in a naturally-lit store. Notable recent research confirms the tremendous cost benefits associated with efficient integrated design. In 2003, *The Costs and Financial Benefits of Green Building,* a report developed for the Sustainable Building Task Force, a group of over 40 Californian state government agencies, concluded that:

[A] minimal upfront investment of about two percent of construction costs typically yields life cycle savings of over ten times the initial investment. For example, an initial upfront investment of up to \$100,000 to incorporate green building features into a \$5 million project would result in a savings of at least \$1 million over the life of the building, assumed conservatively to be 20 years.

The financial benefits include lower resource consumption during construction and throughout the life of the structure which consequently reduces costs for energy, waste disposal, water, emission costs, and materials; lowers operation and maintenance costs; and provides savings from enhanced occupant health and productivity. These findings clearly support sustainable design and reinforce that fact that building green makes financial and environmental sense for both the public and private sector.

#### **Baseline Conditions**

Under the guidance of the Environmental Affairs Committee, the City of Gaithersburg is working to expand its programs for smart growth and environmental protection to include the promotion of green building. As one of the first steps in this process, Gaithersburg has become one of the first cities of its size to be accepted into the U.S. Green Building Council (USGBC). The USGBC is a national coalition of leaders from across the building industry that are working to promote buildings that are environmentally responsible, profitable, and healthy places to live and work. The USGBC has developed the Leadership in Energy & Environmental Design (LEED<sup>TM</sup>) Green Building Rating System, as a nationally accepted standard for green buildings. LEED<sup>TM</sup> is a self-assessing system that allots points within seven specific categories; including site location, water efficiency, energy and atmosphere, materials and resources, and indoor environmental quality.

Gaithersburg has focused on educating staff and the community about green building. The City developed web pages for the community and organized green building training sessions and tours. The City also incorporated sustainability requirements in new building projects and is using architects and engineers with

green experience. Due to these changes in bid and contracting requirements, the City anticipates that the new Youth Center will receive LEED<sup>TM</sup> certification and become the City's first green building.

The City is also working to adopt policies and programs to encourage the development of green buildings without forcing excessive costs or other burdens upon developers, building owners or occupants. In October of 2003, Gaithersburg's citizen-based Environmental Affairs Committee collaborated with the Mayor and City Council to adopt a Green Building Incentive Program to provide financial incentives to developers who make their projects more environmentally friendly. In order to promote green building awareness and assess a building's environmental performance, the City requires new commercial, institutional, or multi-family development to complete and submit a LEED<sup>TM</sup> checklist as part of the site plan and building permit application process. As found in Appendix E, this checklist allows the developer to assess the options for including green components in a project. The LEED<sup>TM</sup> points system corresponds to four different levels of certification that measure a project's overall environmental performance. The points generated by the LEED<sup>TM</sup> checklist are used to determine the reduction in building permit fees; essentially the more environmentally friendly the project, the bigger the discount the developer will receive.

This program seeks to cultivate green building awareness in the local community and encourage developers to adopt design and construction techniques that reduce the environmental impact of buildings. Gaithersburg hopes that this program will benefit the building's owners, occupants, and the community by reducing operation and maintenance costs, creating healthier and safer indoor environments, and reducing the demand for natural resources, energy, water and sewer services, landfills, storm sewers, and transportation infrastructure.

#### **Green Buildings Strategies**

Gaithersburg's Green Building Program seeks to: 1) educate staff, the local development community, and citizens about the principles and benefits of green building; 2) promote green building in municipal projects; and 3) encourage builders and developers to incorporate "green components" in private construction projects. The following strategies are designed to accomplish these goals.

- Train City staff, who review site plans and building permit applications, to review plans against LEED criteria and suggest alternatives and improvements.
- > Train facilities personnel in green maintenance principles.
- Provide education and technical support to residents, business owners, developers, and contractors on a variety of green building topics (e.g., green building materials, innovative stormwater management practices, green specifications, improving energy efficiency, construction recycling, green renovation, etc.).

- ➤ Continue to promote the Green Building Incentive Program which requires commercial, institutional and high-rise residential buildings to complete and submit a LEED™ scorecard and offers a tiered building permit fee reduction incentive, per the LEED™ rating system, to developers who design and construct green buildings.
- Require that all municipal facilities, City funded projects, and infrastructure projects be constructed, renovated, operated, maintained, and deconstructed using green building, low impact development, waste management, and conservation landscaping principles and practices to the fullest extent possible.
- Continue to incorporate sustainable requirements in bid requests for new municipal building projects or renovations and utilize construction consultants with green experience.
- > Continue to perform energy audits of existing City facilities and implement energy retrofits when appropriate.
- > Develop green maintenance procedures (e.g., structural integrity, indoor air quality, mechanical and electrical system performance, basic cleanliness, pest control, and indoor/outdoor traffic patterns) for City facilities in order to determine best maintenance and retrofit options.
- Continue to investigate federal and state funding sources to promote training, technical support, and capital improvement projects. Likely funding sources include Maryland Energy Administration (MEA), U.S. Department of Energy (DOE), the Urban Consortium Energy Task Force (UECTF), U.S. Environmental Protection Agency (EPA), Maryland Community Energy Loan Program, Maryland Department of Natural Resources (DNR), Public Technology, Inc. (PTI), and the US Green Building Council.
- Investigate incentives and disincentives to minimize solid waste from new construction, renovation, remodeling, and demolition projects and develop tools and strategies (e.g., Solid Waste Management and Recycling Plans) to minimize such waste.

#### 4.3 Sustainable Redevelopment and Historic Preservation

While redevelopment and infill are desirable to improve economic performance, they should also strive "re-naturalize" the environment. This means protecting or re-engineering nature's ability to filter, store, infiltrate, evaporate, and cycle resources. When combined with effective local and watershed planning, these measures will not only help to protect or restore the local watershed, but they can also reduce overall development costs. make communities healthier and more attractive, conserve resources, and promote groundwater recharge. Gaithersburg promotes sustainable site design in redevelopment and infill projects in order to reduce pollutants and improve the environmental quality of the development site in an urbanized watershed.



Figure 18 The redevelopment of Olde Towne Gaithersburg improves economic performance, concentrates a mix of uses around public transit, and preserves open space for community recreation.

Historic preservation is another important factor to consider during redevelopment because our historic buildings, neighborhoods, and landscapes are important to our community's legacy. Historic resources may include buildings representative of a period or style; architecturally important buildings; sites of important events or activities; sites associated with important personages; sites with the potential for adaptive reuse; buildings, landscapes, or sites of historic or cultural value; and archeological sites. The *Historic Preservation Element* of the Master Plan provides an inventory of the City's historic and cultural resources and outlines protection, preservation, and reuse strategies. These resources should be identified in the site plan's Natural Resource Inventory (NRI) and protected during the development review process.

#### Sustainable Redevelopment Strategies

The following site development practices are techniques to protect and enhance natural resources, water quality, and habitat in the highly constrained setting of urban infill and redevelopment.

Require new development to comply with light pollution reduction guidelines, when feasible.

- Encourage adaptive reuse of buildings or reuse or recycling of building materials. This includes developing tools and strategies to reduce waste from renovation and remodeling projects.
- > Strongly encourage shared parking/access options for redevelopment; especially sites in Olde Towne and along the Frederick Avenue Corridor.
- Require redevelopment to offer storage and collection facilities for recyclables.
- Require developers to complete stream restoration and stormwater management retrofit projects that are critical to improving the condition of streams and watersheds; especially in areas identified at critical in stream assessments and watershed studies.
- > Require redevelopment to include Natural Resource Inventories (NRI) to identify existing natural resources and conditions and develop protection and restoration strategies where feasible.
- Encourage innovative design techniques to preserve vegetation, minimize impervious surfaces, maximize sheet flow and groundwater infiltration, and decrease the heat island effect on stream temperatures. Where possible, the amount of impervious cover should be reduced or kept the same. In situations where impervious cover does increase, sites should be designed to improve the quality of stormwater runoff at the site or in the local watershed.
- Plan and design sites to preserve existing specimen trees, landscape buffers, and natural vegetated areas and enhance landscaping in sites lacking vegetation.
- > Establish mechanisms to guarantee long term management and maintenance of all vegetated areas.
- > Manage rooftop runoff through storage, reuse, and/or redirection to permeable surfaces for stormwater management and other environmental benefits.
- > Parking lots, especially surface lots, should be minimized and designed to reduce, store, and treat stormwater runoff.
- Design the streetscape to minimize, capture, and reuse stormwater runoff. Where possible, provide planting spaces to promote the growth of healthy street trees while capturing and treating stormwater runoff.
- > Create courtyards, plazas, and amenity open spaces to provide quality community space, habitat, and stormwater management.
- > Design sites to maximize transportation choices to reduce air pollution.

#### 4.4 Noise Pollution

Excessive noise can be nuisance and is often considered an environmental problem. Excessive noise adversely affects the public welfare in a number of ways; interfering with sleep, conversation, and other Intrusive noise may also activities. significantly reduce the use and enjoyment of indoor and private outdoor Additionally, excessive noise exposure causes a number of potentially serious health effects; including hearing loss, high blood pressure, heart disease, stroke, and ulcers.



Figure 19 Automobile and truck traffic along major roadways is a significant source of noise pollution. Noise walls, as illustrated above, are constructed to mitigate noise in severe circumstances.

#### **Baseline Conditions**

In Gaithersburg, sources of nuisance noise include public or quasi-public facilities such as highways, arterial roads, and railroads. These noise sources tend to be difficult to control. The most significant source of noise is generated by automobile and truck traffic along major roadways, such as Interstates 270 and 370. The *Environmental Standards* rely on Montgomery County standards for noise. The general guideline for the maximum outdoor noise levels, in a residential area, is a Ldn (day-night level) of 60 dBA. This is the guideline for the design and location of future development and is a goal for the reduction of existing noise when feasible.

#### **Noise Management Strategies**

The construction of noise barriers such as walls, berms, and/or vegetation have proven somewhat helpful in reducing noise from highways, but noise cannot be entirely eliminated. The following strategies are aimed at reducing the generation and effects of nuisance noise:

- Require new development or redevelopment of land adjacent to a major noise source, such as mass transitways, interstates, or other major transportation routes, to conduct noise monitoring to determine ambient and peak noise levels prior to the submittal of a preliminary concept site plan.
- Require new development or redevelopments of land adjacent to a major noise source to utilize noise reduction and noise-compatible site design for noise abatement.

- Place parking lots, open spaces, garages, recreation areas and other non-habitable uses of the property in the noise affected area between the noise sources and residential units.
- Require acoustical treatment (soundproofing materials, double glaze windows) on affected structures when feasible.
- Construct physical barriers such as landscaped berms and noise walls when other options are infeasible and when compatible with aesthetic concerns.
- Screen and control noise sources such as parking, outdoor activities, and mechanical equipment.
- Increase setbacks for noise sources from adjacent dwellings.
- Control hours of operation, including deliveries and trash pickup, to minimize noise impacts.

#### 4.5 Light Pollution

The objective of any outdoor lighting system is to maximize visibility in performing a given task, while minimizing the amount of energy and associated costs used in producing the light. Appropriately designed and properly installed, outdoor lighting contributes to the safety and welfare of residents, customers, and visitors by increasing pedestrian and vehicular enhancing a community's nighttime character, advertising commercial businesses, and providing security. A well-designed lighting system should produce no more lighting than is necessary for a given task and direct the light only where it is Unfortunately, inappropriately designed needed.



Figure 20 Inappropriate lighting can result in glare, light trespass, sky glow, and wasted energy.

outdoor lighting applications in both rural and urban areas have created an extensive light pollution problem throughout the nation. "Light pollution" refers to the undesired consequences of inappropriate outdoor lighting: glare, over-lighting, light trespass, sky glow, and wasted energy. "Glare" is caused by overly bright lights in street lamps, parking lot lights, and building floodlights. "Light trespass" is the light crossing over property lines and shining into adjacent yards and windows. "Skyglow" is the dull ruddiness in the sky that is caused by uplighting from street lamps, signs, billboards, and buildings. As our population increases, light pollution becomes an increasing problem. Light pollution disrupts sleep patterns, is linked to some cancers, impairs star gazing, and is devastating to the breeding, hunting, and migration habits of wildlife. The intent of reducing light pollution is to eliminate light trespass from the building and site, improve night sky access, conserve energy, and reduce development impact on nocturnal environments.

#### **Baseline Conditions**

In 2001, the City recognized the need to reduce light pollution and began to research and develop outdoor lighting standards. In addition, House Joint Resolution 14 of 2001 Regular Session of the Maryland General Assembly created the "Task Force to Study Lighting Efficiency and Light Pollution in Maryland." The purpose of the Task Force was to study the cost, extent, and consequences of inefficient public lighting and light pollution in the State, and the benefits of alternative improvements. In addition to the Task Force's recommendations, the US Green Building Council's LEED<sup>TM</sup> checklist, which the City requires for new commercial, institutional, and high rise residential, also provides recommendations on ways to reduce light pollution. After holding a series of work sessions on outdoor lighting standards, the Mayor and City Council determined that the Task Force's March 2002 report and the outdoor lighting standards developed by staff should be used as criteria to evaluate lighting plans during the plan review process. Accordingly, developers are now required to submit a LEED checklist and photometric plans for most site plans.

#### **Light Pollution Reduction Strategies**

According to the Task Force to Study Lighting Efficiency and Light Pollution in Maryland, March 2002, there is no single best answer to achieve efficient/cost effective lighting because there are numerous appropriate applications and equipment technologies. Therefore, the following Task Force recommendations, the outdoor standards, and LEED<sup>TM</sup> strategies should be used as guidelines during plan review to prevent and reduce light pollution.

- Meet or provide lower light levels and uniformity ratios than those recommended by the Illuminating Engineering Society of North America (IESNA) Recommended Practice Manual: Lighting for Exterior Environments (RP-33-99),
- Requirement development and redevelopment to choose luminaires that distribute the light only where it is needed, minimizing light pollution and unnecessary energy consumption.
- Lighting plans should evaluate and consider appropriate lamp source color; lamp types that maximize visibility per lumen output, as well as maximizing lumen output per input watt of energy; lamps with longer life ratings; and appropriate efficient ballasts.
- > Layout lights to avoid spillover onto adjacent property, and choose appropriate pole heights.
- > Cutoff type luminaires should be used wherever possible and appropriate. Light allowed to project skyward is wasted, both from an energy standpoint, and relative to maintaining a dark sky.

- > Safety must be addressed as the primary concern; lighting should not be designed in such a way as to jeopardize safety.
- Residential, low wattage, and temporary lighting systems (such as those used for holidays or at nighttime work areas) should be exempted from such standards; but nonetheless, effort should be made to achieve energy efficiency and control of light.

#### 4.6 Solid Waste and Recycling

management Solid waste an important environmental issue due to the fact that landfills and incinerators are often significant contributors to groundwater, soil, and air contamination. Practicing the 3 Rs-Reduce, Reuse, and Recycle; composting; and disposing of hazardous waste properly important components of waste are management.

Reduce the amount and toxicity of trash discarded. Source the reduction. often called waste prevention, means consuming and throwing less. Source away reduction includes purchasing



Figure 21 Placing yard waste in paper bags for compost collection can significantly reduce the amount of solid waste that is sent to the incinerator and the landfill.

durable, long-lasting goods and seeking products and packaging that are as free of toxics as possible. Because source reduction actually prevents the generation of waste in the first place, it is the most preferable method of waste management.

- Reuse containers and products, repair broken items, donate or sell used goods. When shopping, choose reusables over disposables and avoid using products that are designed to be used only once or a few times. Reusing, when possible, is preferable to recycling because the item does not need to be reprocessed before it can be used again.
- Recycle as much as possible, which includes buying products with recycled content. These practices will limit the amount of pollution generated and ensure that it does not enter the environment. Recycling transforms materials that would otherwise become waste into valuable resources and generates a host of environmental, financial, and social benefits.
- **Composting** is the controlled decomposition of biodegradable organic materials into a soil-like material. Yard trimmings and food scraps make up about 25 percent of the waste U.S. households generate, so composting can greatly reduce the amount of waste that ends up in landfills or incinerators.

- Household hazardous waste, such as pesticides, car batteries, paint thinners and solvents, fluorescent bulbs, used motor oil, swimming pool chemicals, and oil-based paints can contaminate groundwater and soil and harm human health. Instead of putting hazardous materials in the garbage or pouring them down the drain, residents should bring them to Montgomery County's collection sites on the published dates, free of charge.

#### **Baseline Conditions**

The City of Gaithersburg promotes waste reduction and recycling. The City contracts with a private hauler for the collection of newspapers, mixed paper, corrugated cardboard, commingled cans, glass containers, and plastic bottles. The recycling contractor also collects brush, branches, grass clippings, leaves and other trimmings when placed biodegradable brown paper bags and set at the curb on regularly scheduled recycling days. For residents without recycling services, the City encourages residents to use the free and convenient recycling dropoff service at the Public Works facility on



Figure 22 Gaithersburg's used oil and antifreeze recycling collection center is a free and easy service located on Rabbitt Road.

Saturdays. The facility accepts newspapers, commingled cans, glass, plastics, corrugated cardboard, magazines, catalogues, and telephone books. In addition, in order to prevent illegal dumping of automobile fluids down the storm drain, the City offers free 24-hour used oil and antifreeze collection at the Public Works facility on Rabbitt Road.

#### **Pollution Prevention Strategies**

The following strategies are aimed at preventing and reducing solid waste.

- > Continue to participate in regional efforts to reduce solid waste.
- > Require new development and redevelopment to provide accessible areas for the separation, collection, and storage of recyclables.
- > Continue to educate and publicize recycling and the proper use and disposal of household hazardous wastes.
- > Continue to publicize the used oil and antifreeze collection facility.
- > Examine municipal operations and purchasing policies to reduce unnecessary consumption of natural resources.
- Develop a mandatory recycling program for multifamily apartments (e.g., research Montgomery County's policies, provide education and outreach, and evaluate enforcement options).

- > Promote voluntary commercial recycling (e.g., survey existing operations, provide education and outreach, and consider incentives).
- > Investigate incentives and disincentives to minimize solid waste from new construction, renovation, remodeling, and demolition projects and develop tools and strategies (e.g., Solid Waste Management and Recycling Plans) to minimize such waste.

#### 5. REFERENCES

- Center for Watershed Protection. 2001. Redevelopment Roundtable. Consensus Agreement. Smart Site Practices for Redevelopment and Infill Projects. <a href="http://www.cwp.org/smartsites.pdf">http://www.cwp.org/smartsites.pdf</a>
- Center for Watershed Protection. Site Planning for Urban Stream Protection. http://www.cwp.org/SPSP/TOC.htm
- Chesapeake Bay Critical Area Commission. 2000. A Guide to the Conservation of Forest Interior Dwelling Birds in the Chesapeake Bay Critical Area. http://www.dnr.state.md.us/education/envirothon/wildlife/criticalareareg\_FIDS.pdf
- City of Bowie, Maryland. 2002. Wildlife Habitat Management Guidelines for the City of Bowie, Maryland.
- City of Gaithersburg. 1996. *City of Gaithersburg Stream Evaluation*. Prepared by Environmental Quality Resources, Inc. (EQR).
- City of Gaithersburg. 1999. City of Gaithersburg Tree Manual.
- City of Gaithersburg. 2001. *Environmental Standards for Development Regulation*, (Regulation No. 01-01).
- City of Gaithersburg. 2002. An Ecological Assessment of Streams in Gaithersburg, Maryland: 2001-2002, prepared by Versar, Inc.
- International Dark Sky Association: www.darksky.org.
- Katz, G., L. Alevantis, A. Berman, E. Mills, & J. Perlman. 2003. The Costs and Financial Benefits of Green Building. A Report to California's Sustainable Building Task Force. http://www.ciwmb.ca.gov/GreenBuilding/Design/CostBenefit/Report.pdf
- Kays, J., M. Bartlett & Lisa Curtis. 2003. Wildlife Damage Management: Resistance of Ornamentals to Deer Damage. FS-655. http://www.agnr.umd.edu/MCE/Publications/Publication.cfm?ID=41
- Maryland Department of the Environment (MDE). *Air Information Center*. http://www.mde.state.md.us/Air/air\_quality/index.asp
- Maryland Department of the Environment (MDE). *Water Information Center*. http://www.mde.state.md.us/Water/index.asp

- Maryland Department of Natural Resources. *A Guide to Maryland Regulation of Forestry and Related Practices*. Available online at http://www.dnr.state.md.us/forests/publications/frg.html.
- Maryland Department of Natural Resources (DNR). *Maryland's Green Infrastructure*. Available online at http://www.dnr.state.md.us/greenways/gi/gi.html.
- Maryland Department of Natural Resources (DNR) Wildlife and Heritage Service. *Endangered Species in Maryland*. Available online at http://www.dnr.state.md.us/wildlife/espaa.html#state.
- Maryland National Capital Park and Planning Commission. 1998. Environmental Resources Inventory for the Potomac Subregion.
- Maryland Native Plant Society. 1999a. *Control of Invasive Non-Native Plants. A Guide for Gardeners and Homeowners in the Mid-Atlantic Region*. Available online at <a href="http://www.mdflora.org/publications/invasives.htm">http://www.mdflora.org/publications/invasives.htm</a>.
- Maryland Native Plant Society. 1999b. *Native Plants for Central Maryland. A Guide for Gardeners and Homeowners in the Mid-Atlantic Region*. Available online at http://www.mdflora.org/publications/natplants.html.
- Maryland Partners in Flight. 1998. Habitat management guidelines for the benefit of land birds in Maryland. Chesapeake Bay Critical Areas Commission, Annapolis, MD. Available online at http://www.mdbirds.org/mdpif/habitat.html
- Montgomery County Department of Environmental Protection. 2003. *Air Quality Protection Strategy*.
- Riley, Ann L. 1998. Restoring Streams in Cities, A Guide for Planners, Policymakers, and Citizens. Island Press. Washington, D.C.
- Rosenberg, K.V., R.W. Rohrbaugh, Jr., S.E. Barker, J.D. Lowe, R.S. Hames, and A.A. Dhondt. 1999. A land manager's guide to improving habitat for scarlet tanagers and other forest-interior birds. The Cornell Lab of Ornithology. http://birds.cornell.edu/conservation/tanager/tanager.pdf
- U.S. Department of Agriculture, Natural Resources Conservation Service (NRCS), 1995 Survey of Montgomery County, Maryland
- U.S. Environmental Protection Agency (EPA). Urban Heat Island Effect. (07/11/03) http://yosemite.epa.gov/oar/globalwarming.nsf/content/ActionsLocalHeatIslandEffect.html

- U.S. Green Building Council (USGBC). 2002. *Green Building Rating System for New Construction and Major Renovations (LEED-NC) Version 2.1.* available online at http://www.usgbc.org/Docs/LEEDdocs/LEED\_RS\_v2-1.pdf.
- Wilmer, Ralph. 2000. The Importance of Planning for Wildlife Habitat Protection. 2000 APA National Planning Conference. Available online: <a href="http://www.asu.edu/caed/proceedings00/WILLMER/willmer.htm">http://www.asu.edu/caed/proceedings00/WILLMER/willmer.htm</a>

#### 6. APPENDICES

# Appendix A: Overview of the Fundamental Environmental Regulations and Policies Guiding the Planning Process in Gaithersburg, Maryland

Environmental Goal	Federal, State, and Local Mandates and Programs
Maintain water quality	<ul> <li>Federal Clean Water Act</li> <li>Resources Conservation and Recovery Act (RCRA)</li> <li>Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)</li> <li>MD Water Pollution Law (COMAR 26.08)</li> <li>MD Erosion and Sediment Control Law (COMAR 26.17.01)</li> <li>MD Stormwater Management Law (COMAR 26.17.02)</li> <li>Countywide Stream Protection Strategies</li> <li>Gaithersburg Environmental Standards for Development Regulation</li> </ul>
Duo o muo vuotilon do	<ul> <li>Gaithersburg Sediment and Erosion Control and Stormwater Management Ordinance (Chapter 8)</li> <li>Gaithersburg National Pollutant Discharge and Elimination System (NPDES) Phase II Permit</li> </ul>
Preserve wetlands and sensitive areas	<ul> <li>Federal Clean Water Act</li> <li>US Army Corps of Engineers Regulations</li> <li>MD Non-tidal Wetlands Law (COMAR 26.23)</li> <li>MD State Planning Act</li> <li>Gaithersburg Environmental Standards for Development Regulation</li> </ul>
Provide for water and sewer service	<ul> <li>MD Water Supply, Sewerage, Solid Waste, and Pollution Control Planning and Funding Law (COMAR 26.03)</li> <li>Washington Suburban Sanitation Commission (WSSC)</li> </ul>
Minimize erosion and sedimentation	<ul> <li>MD Erosion and Sediment Control Law (COMAR 26.17.01)</li> <li>Gaithersburg Sediment and Erosion Control and Stormwater Management Ordinance (Chapter 8)</li> </ul>
Protect against flooding	<ul> <li>Federal Emergency Management Agency</li> <li>MD Stormwater Management Law (COMAR 26.17.02)</li> <li>Gaithersburg Floodplain Management Ordinance (Chapter 10)</li> <li>Gaithersburg Sediment and Erosion Control and Stormwater Management Ordinance (Chapter 8)</li> </ul>
Plan for forest conservation	<ul> <li>MD Forest Conservation Law (COMAR 08.19)</li> <li>Gaithersburg Trees and Vegetation Ordinance (Chapter 21)</li> <li>Gaithersburg Trees and Forest Conservation Ordinance (Chapter 22)</li> </ul>
Preserve unique and beautiful natural areas	<ul><li>MD Scenic Rivers Act</li><li>MD Greenways Program</li><li>MD Rural Legacy Program</li></ul>
Preserve biodiversity	<ul> <li>Federal Endangered Species Act</li> <li>MD Wildlife Law (COMAR 08.03)</li> <li>MD Threatened and Endangered Species Law (COMAR 08.03.08)</li> <li>Maryland Planning Act</li> </ul>

Place utilities	Gaithersburg Environmental Standards for Development Regulation
sensitively	Gaithersburg Excavation of Underground Utility Facilities Ordinance
	(Chapter 9)
Protect air quality	Federal Clean Air Act
	Maryland Air Quality Law (COMAR 26.11)
	Maryland State Implementation Plan (SIP)
	Montgomery County Air Quality Control Ordinance (Chapter 3)
Provide for solid	Montgomery County Waste Management Plan
waste management	Gaithersburg Refuse and Garbage Ordinance (Chapter 18)
Manage noise	Montgomery County Planning Board Technical Noise Guidelines
	Gaithersburg Offenses—Miscellaneous Ordinance (Chapter 15)

#### **Appendix B: Central Maryland Native Plants**

This following is a general list of common native species found to Central Maryland. Plant highlighted with "\*" indicate the plant species is highly ornamental and "\*\*" indicate the plant species is of special importance for wildlife

This information is adapted from Native Plants for Central Maryland Landscapes (Piedmont and Inner Coastal Plain), a 1999 publication compiled by Louisa Thompson for Maryland Cooperative Extension. The entire text is available online at: http://www.mdflora.org/publications/natplants.html.

#### Riverbank, Wetland, and Bottomland Native Plants

Туре	Common Name	Scientific Name	Description
Tall Trees	Red Maple *	Acer rubrum	Orange to red fall foliage
	Silver Maple	Acer saccharinum	Grows only on riverbanks and near springs
	River Birch *	Betula nigra	Peeling, pinkish bark is interesting and attractive, especially in winter
	Bitternut Hickory	Carya cordiformis	
	White Ash	Fraxinus americana	
	Sycamore *	Platanus occidentalis	Peeling bark, snow-white crown stands out in winter
	Swamp White Oak	Quercus bicolor	Grows mainly on the coastal plain
	Pin Oak	Quercus palustrus	Pyramidal shape, lower branches droop to the ground
	American Elm	Ulmus americana	Still common in natural sites despite Dutch elm disease
Medium	Box Elder (Maple)	Acer negundo	
Trees	Persimmon	Diospyros virginiana	
	Green Ash	Fraxinus pennsylvanica var. integerrima	
	Sweetgum *	Liquidambar styraciflua	Star shaped leaves, bright fall foliage (yellow, orange, or red)
	Black or Sour Gum (Tupelo) *	Nyssa sylvatica	Bright red fall foliage
	Willow Oak	Quercus phellos	Leaves are willowlike
	Black Willow	Salix nigra	
	Slippery Elm	Ulmus rubra	
Small Trees	Pawpaw	Asimina triloba	
	Ironwood/Hornbeam *	Carpinus caroliniana	Gracefully twisted trunk (slow growing)
	Serviceberry *	Amelanchier canadensis	Lovely white flowers in early spring
	Hackberry **	Celtis occidentalis	Larval host for 7 species of <i>Lepidoptera</i> ; sole larval host for the rare Hackberry Butterfly
	Fringetree *	Chionanthus virginicus	Spectacular large clusters of aromatic white flowers in late spring
	Sweetbay Magnolia *	Magnolia virginiana	Evergreen, white flowers in June

Туре	Common Name	Scientific Name	Description
Shrubs	Smooth Alder	Alnus serrulata	
	Buttonbush	Cephalantus	
		occidentalis	
	Sweet Pepperbush *	Clethra alnifolia	More common on Eastern shore– showy
	**		white flower spikes in summer, very
			attractive to butterflies
	Hazelnut	Corylus americana	
	Silky Dogwood	Cornus amomum	
	Witch Hazel	Hamamelis virginiana	
	Inkberry *	llex glabra	Evergreen holly, grows to 6-8'
	Winterberry *	llex verticillata	Deciduous holly, bright red berries in winter, grows to 6-10'
	American Elderberry	Sambucus canadensis	Huge cymes of white flowers in June
	Southern Arrowwood	Viburnum dentatum	Found on coastal plain
	Swamp Azalea *	Rhododendron	Beautiful, aromatic white flowers in June
	'	viscosum	,
	Swamp Rose *	Rosa palustris	Single pink flowers
Emergent	Sweet Flag	Acorus calamus	
Herbaceous	Hardy Hibiscus *	Hibiscus moscheutos	Huge flowers
Plants	Blue Flag *	Iris versicolor	Large blue flowers
	Yellow Pond Lily	Nuphar advena	
	Fragrant Water Lily *	Nymphaea odorata	White flowers; our only native water lily
	Lotus Lily *	Nelumbo lutea	Small pale yellow flowers; interesting seedpods
	Pickerelweed	Pontederia cordata	·
	Arrowhead	Sagittaria latifolia	
	Lizard's Tail *	Saururus cernuus	Tail-like white flower spikes
Herbaceous	Green Dragon	Arisaema dracontium	
Plants for	Wild Ginger	Asarum canadense	A deciduous ground cover
Wet Soil	Swamp Milkweed **	Asclepius incarnata	Pink flowers, larval host for monarch butterfly
	New England Aster	Aster novae-angliae	Purple flowers bloom 2-3 months in fall
	Trout Lily (Dogtooth	Erythronium	Small yellow lily-shaped flowers in early
	Violet)	americanum	spring
	Boneset	Eupatorium perfoliatum	A shorter, white-flowered relative of Joe
			Pye weed
	Joe Pye Weed **	Eupatorium fistulosum,	Extraordinary huge clusters of mauve
		E. maculatum, E.	flowers, up to 8' tall, very attractive to
		purpureum, E. dubium	butterflies
	Cardinal Flower **	Lobelia cardinalis	Bright red flowers, attractive to hummingbirds
	Virginia Bluebells	Mertensia virginica	Striking blue flowers in spring
	Wild Blue Phlox	Phlox divaricata	Pale blue or pink flowers in spring
	Green Coneflower	Rudbeckia laciniata	Yellow flowers with green cones, tall
	New York Ironweed	Vernonia noveboracencis	Magenta to purple flowers in large clusters
	Yellow Violet	Viola pennsylvanica	
	Golden Alexanders	Zizia aptera	Yellow flowers in umbels (like parsley or Queen Anne's lace)

## **Native Plants for Rich, Moist Woods**

Type	Common Name	Scientific Name	Description
Tall Trees	White Oak *	Quercus alba	Shaggy bark on the middle portion of the trunk makes it ornamental in winter; excellent shade tree; leaves
			have rounded lobes. White oak acorns are sweet and sprout quickly
			so are eaten in fall
	Southern Red Oak	Quercus falcata	Leaves have few lobes (pointed); bark appears striped; red and black oak acorns have a lot of tannin and are buried by squirrels to mellow
			before eating
	Northern Red Oak	Quercus rubra	Leaves have pointed lobes; bark appears striped
	Black Oak	Quercus velutina	Very large leaves with pointed lobes
	Red Maple *	Acer rubrum	Attractive tree with red/orange fall foliage, but now rapidly expanding out of its original swamp habitat
	Mockernut Hickory *	Carya tomentosa	Very large terminal leaflet, aromatic foliage turns gold in late fall
	American Beech  * **	Fagus grandifolia	Pale gray bark; young trees keep their leaves through the winter; beechnuts are high-quality food for mammals and large birds
	White Ash	Fraxinus americana	
	Tulip Poplar	Liriodendron tulipifera	A "pioneer" tree, it needs full sun and shades out (and drops) its own lower branches. Don't allow it to grow close to a house.
Medium Trees	Persimmon *	Diospyros virginiana	Checkered bark and fruits hanging on tree provide winter interest
	American Holly *	llex opaca	Evergreen, handsome pyramidal shape when grown in the open, but found as an understory tree in the wild
	Black or Sour Gum (Tupelo) *	Nyssa sylvatica	Bright red fall foliage
	Black Cherry * **	Prunus serotina	Flowers are ornamental; fruits are staple food for many birds; leaves are larval host for spring azure, Eastern tiger swallowtail, and redspotted purple butterfly and many other butterfly and moth species. Black cherry is a pioneer tree.
	Sassafras * **	Sassafras albidum	Mitten-shaped leaves, brilliant orange fall foliage; larval host for Spicebush Swallowtail butterfly
	Red Mulberry **	Morus rubra	Hard to find because of competition from non-native white mulberry. The native has large leaves with few or no lobes; the exotic has two or more lobes on most of its leaves, and usually has dark purple fruit.

Type	Common Name	Scientific Name	Description
Small Trees	Dogwood *	Cornus florida	
	Redbud *	Cercis canadensis	Deep pink, pea-like flowers all along stem, heart-shaped leaves
	Black Haw *	Viburnum prunifolium	Creamy white, flat flower clusters in May; extremely scaly light brown bark provides winter interest
	Serviceberry *	Amelanchier canadensis	Lovely white flowers in early spring
	Hackberry **	Celtis occidentalis	Larval host for 7 species of Lepidoptera; sole larval host for the rare Hackberry Butterfly
	Fringetree *	Chionanthus virginicus	Spectacular large clusters of aromatic white flowers in late spring
Shrubs	Spicebush * **	Lindera benzoin	Most common shrub in the piedmont – tiny yellow flowers all along stem in late March, red berries in winter; larval host for Spicebush Swallowtail butterfly
	Red Chokeberry *	Aronia arbutifolia	White flowers in spring, red berries often last all winter
	Strawberry Bush	Euonymus americanus	
	Virginia Sweetspire * **	Itea virginica	Fragrant white flower spires; height 3-5'; good butterfly nectar plant
	Smooth Arrowwood	Viburnum recognitum	
Herbaceous Plant for	Maidenhair Fern *	Adiantum pedatum	Leaves attached to an unusual semicircular stem
Shade-Ferns	Sensitive Fern	Onoclea sensibilis	Leaflets rather amorphous in shape
	Common Polypody	Polypodium virginianum	
	Christmas Fern *	Polystichum acrostichoides	Most common – evergreen
	New York Fern	Thelypteris noveboracensis	Narrows toward base as well as toward tip
Herbaceous Plant for	Partridgeberry	Mitchella repens	Tiny leaves, covers ground slowly, thinly
Shade- Evergreen Ground Cover	Golden Ragwort *	Senecio aureus	Handsome, scalloped, kidney- shaped leaves; golden dandelion- like flowers on tall stems in spring; covers densely, spreads quickly – may be too aggressive in sun

Туре	Common Name	Scientific Name	Description
Spring Wildflowers*	Jack in the Pulpit	Claytonia virginiana	Corms provide winter food for small mammals
	Cut-leaved and Slender Toothwort	Dentaria laciniata	
	Dutchman's Breeches **	Dicentra cucullaria	Corms provide winter food for small mammals
	Wild Geranium	Geranium maculatum	
	Round- and Sharp-lobed Hepatica	Hepatica americana	
	Virginia Waterleaf	Hydrophyllum virginianum	
	Showy Orchis	Orchis spectabilis	
	Smooth Sweet Cicely **	Osmorhiza longistylis	Carrot family member, presumed to be a native larval host of Eastern black swallowtail butterfly; flowers small, not showy
	Mayapple	Podophyllum peltatum	
	Solomon's Seal	Polygonatum biflorum	
	Bloodroot	Sanguinaria canadensis	
	False Solomon's Seal	Smilacina racemosa	
	Star Chickweed	Stellaria pubera	
	Perfoliate Bellwort	Uvullaria perfoliata	
	Common Blue Violet	Viola papilionacea	
Summer Wildflowers*	Black Cohosh **	Cimicifuga racemosa	Larval host for the rare Appalachian Blue butterfly; blooms in June
Fall Wildflowers	Common Blue Wood Aster	Aster cordifolius	Blue flowers, often with pink centers
	Upland Boneset*	Eupatorium sessifolium	A white-flowered Joe Pye weed
	Blue-stem Goldenrod	Solidago caesia	One of the prettier goldenrods, with a long string of small flower clusters in the leaf axils

## Native Plants for Steep, Rocky Slopes

Туре	Common Name	Scientific Name	Description
Tall Trees	Chestnut Oak **	Quercus prinus	
	Pignut Hickory **	Carya glabra	
NA 11 T	American Beech **	Fagus grandifolia	
Medium Trees	Sassafras **	Sassafras albidum	Larval host for spicebush
Small Trees	American Chestnut	Castanea dentata	swallowtail butterfly
Small frees	American Chestnut	Castariea deritata	Chestnuts still re-sprout from the roots, but rarely grow more than 20'
			tall before they are killed by the
			blight. However, research is under
			way to allow the trees to survive.
	Redbud * **	Cercis canadensis	Can grow on steep slopes as long
			as the soil is rich (e.g., has some
			limestone in it) and well-watered;
			the nectar source for Henry's elfin
			butterfly, larval host for several
01 1			butterflies and moths.
Shrubs	Huckleberries	Gaylussacia species	Can tolerate acid soil but grow
			wherever there is little competition, e.g., on these eroded slopes
	Witch Hazel **	Hamamelis virginiana	Found next to streams, including on
	VVIICITTIAZEI	Tiamamens virginiana	steep slopes – sole nectar source
			for the night-flying moth that
			pollinates it in fall.
	Mountain Laurel *	Kalmia latifolia	Important for erosion control, as it
			forms large colonies on the
			steepest slopes.
	Wild Pink Azalea *	Rhododendron	Deciduous, but a beautiful shrubs.
	High book Block con-	periclymenoides	
	Highbush Blueberry	V. corymbosum Viburnum acerifolium	
Groundcovers	Maple-Leaf Viburnum Striped or Spotted	Chimaphila maculata	
Groundcovers	Wintergreen	Спітарпіа тасиата	
	Trailing Arbutus *	Epigaea repens	
Herbaceous	Maidenhair Fern	Adiantum pedatum	Fronds grow from outer side of
Plants			semicircular stem
	Rue Anemone	Anemonella thalictroides	White flowers in spring
	Alumroot	Heuchera americana	Evergreen foliage, sprays of
			greenish or reddish flowers in
			spring
	Christmas Fern	Polystichum	Evergreen fern, needs moisture
	\\\'\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	acrostichoides	NAME OF THE PROPERTY OF THE PR
	Wild Stonecrop	Sedum ternatum	White flowers in spring, evergreen fleshy foliage
	Wild Pink	Silene caroliniana	Pink flowers in spring
	Star Chickweed	Stellaria pubera	White flowers in spring,
			exceptionally showy

## Native Plants for Dry Ridgetops and Sunny Sites

Туре	Common Name	Scientific Name	Description
Tall Trees	Scarlet Oak * **	Quercus coccinea	The brightest red fall foliage of our indigenous oaks
	Tulip Poplars		
	Red Maples		
Medium Trees	Black Cherry * **	Prunus serotina	A pioneer tree on cleared sites, also grows in shade – flowers are quietly ornamental, not showy; fruits are staple food for many birds; leaves are larval host for spring azure, Eastern tiger swallowtail, and redspotted purple butterfly and other butterfly and moth species.
	Post Oak	Quercus stellata	Found on very poor, dry soils
	Red Mulberry **	Morus rubra	Very hard to find because of competition from the non-native White Mulberry, which may also be the source of the root disease that kills off many of the natives. The native has large leaves with few or no lobes; the exotic has smaller leaves with two or more lobes on most of them, and usually has dark purple fruit.
Small Trees	Redbud *	Cercis canadensis	deep-pink pea-like flowers all along stem, heart-shaped leaves
	Dogwood *	Cornus florida	although in the wild it grows in partial shade, it also thrives in sun and is actually more likely to escape or survive the anthracnose disease because of lower humidity
	Black Haw *	Viburnum prunifolium	creamy white, flat flower clusters in may; extremely scaly light brown bark provides winter interest
Shrubs	Pasture Rose *	Rosa carolina	single pink flowers, usually solitary, sometimes in small clusters
Groundcovers	Moss Phlox *	Phlox subulata	thrives in minimal soil with excellent drainage; this is available at garden centers. In the wild, the flowers are usually white or very faintly colored.

#### Appendix C: Invasive Non-Native Plants in the Mid-Atlantic Region

The following is a list of invasive non-native plants and weeds which are causing significant changes to natural areas in the Mid-Atlantic. Planting and propagating these species should be avoided. Following each section, in grey, is a list of alternative native plants to be planted as substitutes for these invasive species. These alternatives are native plants, well adapted and needing little care, attractive to birds and butterflies, and an important part of the food web for our indigenous species. Additional information regarding invasive species control measures is available online.

This information is adapted from Control of Invasive Non-Native Plants: A Guide for Gardeners and Homeowners in the Mid-Atlantic Region (March, 1999) compiled by Louisa Thompson, Master Gardener Consultant, for Maryland Cooperative Extension. The text in its entirety is available online at <a href="http://www.mdflora.org/publications/invasives.htm">http://www.mdflora.org/publications/invasives.htm</a>

Type	Common Name	Scientific Name	Description	Detrimental Effects
Most Invasive Non-Native Weeds	Garlic Mustard	Alliaria petiolata, A. officinalis	White-flowered biennial with rough, scalloped leaves (kidney-, heart- or arrow-shaped), recognizable by the smell of garlic and taste of mustard when its leaves are crushed	
	Japanese or Vietnamese Stilt Grass, Eulalia	Microstegium vimineum	Lime-green, with a line of silvery hairs down the center of its 2-3" blade	Tolerates sun or dense shade and quickly invades areas left bare or disturbed by tilling or flooding; An annual grass, it builds up a large seed bank in the soil
	Mile-a-Minute Vine, Devil's Tail Tearthumb	Polygonum perfoliatum	Rapidly growing annual vine with triangular leaves, barbed stems, and turquoise berries spread by birds	Quickly covers and shades out herbaceous plants
	Japanese Perilla, Beefsteak Plant	Perilla frutescens	Salad plant, member of the mint family; An odd odor, like raw beef when you rub it	Extremely invasive by wind-borne seeds
	Spotted Knapweed	Centaurea maculosa	A biennial with thistle- like flowers	
	Canada thistle, Bull thistle	Cirsium arvense, C. Vulgare	Exotic thistles are more common than natives. If unidentifiable, it is better to remove it	

Туре	Common Name	Scientific Name	Description	Detrimental Effects
Medium to Tall Invasive, Non- Native Trees	Norway Maple  Tree of Heaven	Acer platanoides  Ailanthus	Large leaves similar to sugar maple, white sap when stalk is broken, yellow fall foliage; some cultivars have red fall foliage  Long compound leaves	Suppresses growth of grass, garden plants, and forest understory; windborne seeds can germinate and grow in deep shade  Produces huge
		altissima	with 11-25 lance- shaped leaflets smell like peanut butter or burnt coffee when crushed	quantities of windborne seeds, grows rapidly and in poor conditions, and secretes a toxin that kills other plants; once established, this tree cannot be removed by mechanical means alone
	Sawtooth Oak	Quercus acutissima	Oval leaves with sawtooth edges and huge acorns	Often recommended for wildlife, this tree displaces indigenous forest trees
Recommended	White Oak	Quercus alba	Widely adapted shade	
Native Shade Trees	Southern Red Oak	Q. rubra, Q. falcata	trees; other oaks and hickories are suited to	
11003	Mockernut Hickory	Carya tomentosa	very dry, wet, or steep sites	
	Tupelo (Black or Sour Gum)	Nyssa sylvatica	Brilliant red fall foliage and small fruits eaten by birds	
Small to Medium Invasive, Non- Native Trees	Empress Tree, Princess Tree	Paulownia tomentosa	Large panicles of lavender flowers, like upside-down wisteria, identify this tree in spring; the large brown seed capsules remain all year. The leaves are very large and heart-shaped	Winged seeds allow it to spread deep into undeveloped areas, though it needs some sunlight and is most common along trails and waterways. It grows very rapidly and sprouts readily from roots and cut stumps
	Mimosa	Albizia julibrissin	Has garish pink flowers in summer and feathery compound leaves	Spreads slowly by wind- borne seedpods, or in water or fill-dirt. It re- sprouts when cut or burned
	Siberian Elm	Ulmus pumila	A fast-growing medium- height tree; small oval leaves have a single tooth	Displaces our native elms, which are already under pressure from Dutch elm disease; forms dense thickets under which nothing else grows
	Russian Olive, Autumn Olive	Eleagnus angustifolium, E. umbellata		Formerly recommended for erosion control and wildlife value, these have proved highly

Туре	Common Name	Scientific Name	Description	Detrimental Effects
				invasive and diminish the overall quality of wildlife habitat
	Cherry	Prunus avium, P. cerasus	Edible and ornamental	Displaces our native fruit trees
	Bradford Pear/Ornamental Pears	Pyrus calleryana		Displaces our native fruit trees; self-sterile but can pollinate other cultivars, now spreading rapidly from street plantings
	White Mulberry	Morus alba	The fruits may be white, purple, or black; leaves are lobed	Displaces our native fruit trees. Our delicious native red mulberry, which has very large, usually unlobed leaves, is dying out from a root disease carried by white mulberry
Recommended	Serviceberry	Amelanchier spp.	Beautiful flowering trees	
Small Native Ornamental	Fringetree	Chionanthus virginicus	that also produce fruit for birds	
Trees	Black Haw	Viburnum prunifolium		
	Red Chokeberry	Aronia arbutifolia		
	Red Mulberry	Morus rubra	A beautiful flowering tree that also produce fruit for birds; Plant red mulberry if there are no white mulberries nearby that could transmit disease to them	
Recommended Native Trees for Hedges	American Hazelnut	Corylus americana	Makes an excellent hedge	
	Slippery Elm	Ulmus rubra	A good substitute for Siberian elm in damp soils	
	Staghorn or Shining Sumac	Rhus typhina, R. copallina	Form thickets on sunny, dry sites; keep suckers in check by mowing	
Invasive, Non- Native Shrubs	Multiflora Rose	Rosa multiflora	Covered with white flowers in June. (Our native roses have fewer flowers, mostly pink.) Distinguish multiflora by its size, and by the presence of very hard, curved thorns, and a fringed edge to the leaf stalk	Formerly recommended for erosion control, hedges, and wildlife habitat, it becomes a huge shrub that chokes out all other vegetation and is too dense for many species of birds to nest in, though a few favor it. In shade, it grows up trees like a vine

Туре	Common Name	Scientific Name	Description	Detrimental Effects
	Bush Honeysuckles including Belle, Amur, Morrow's, and Tatarian	Lonicera spp.	In our region, assume that any honeysuckle is exotic unless it is a scarlet-flowered vine	Bush honeysuckles create denser shade than native shrubs, reducing plant variety and eliminating nest sites for many species
	Japanese Spiraea	Spiraea japonica		
	Privet	Ligustrum		
	Burning Bush, Winged Euonymus, Winged Wahoo	Euonymus alatus	Identified by wide, corky wings on the branches	Another species called burning bush, <i>E. atropurpureus</i> is indigenous to the Appalachians, and a piedmont euonymus called strawberry bush (e. americanus)
	Japanese Barberry	Berberis thunbergii	Red and green varieties.	
Recommended Native Shrubs	Spicebush	Lindera benzoin	Covered with tiny yellow flowers in March, is our most common native shrub. It needs rich soil	
	Strawberry Bush	Euonymus americanus	Needs rich soil	
	Maple-leaf Viburnum	Viburnum acerifolium	Suited to dry shade and thinner soil	
	Arrowwoods	Viburnum dentatum, V. recognitum, V. nudum	Plants grow in moist soil	
	Wild Hydrangea	Hydrangea arborescens	Parent of some cultivated varieties, is a somewhat vining shrub	
	Highbush and Lowbush Blueberry	Vaccinium corymbosum, V. vacillans	Need very acidic soil. They tolerate shade but fruit best in sun. Both turn red in fall	
Invasive, Non- Native Vines	Kudzu	Pueraria lobata	Has large lobed leaves in groups of three, thick stems, flowers that resemble wisteria, and hairy, bean-like seedpods in fall	It grows extremely rapidly both above and below ground, and can pull down trees
	Japanese Honysuckle	Lonicera japonica	Has gold-and-white flowers with a sweet scent and nectar in June	Probably the familiar honeysuckle of your childhood. It is a rampant grower that spirals around trees, often strangling them
	Wisteria; Chinese and Japanese	Wisteria sinensis, W. floribunda	Woody vines	Both become heavy and can pull down a large tree
	Oriental	Celastrus	Has its flowers and	Has almost completely

Туре	Common Name	Scientific Name	Description	Detrimental Effects
	Bittersweet	orbiculatus	bright orange seed capsules in clusters all along the stem, while the native species bears them only at the branch tips	displaced American bittersweet (C. scandens)
	Porcelain Berry	Ampelopsis brevipedunculata	Has small, hard fruits in a loose, flat cluster that turn from white to yellow, lilac, green, and finally a beautiful turquoise blue.	
	English Ivy	Hedera helix	Spreads along the ground and occasionally by fruits	Grows up trees and can eventually pull them down
	Wintercreeper	Euonymus fortunei		Control methods are the same as for English Ivy, but Garlon is not effective; glyphosate mixed with extra stickerspreader may be
	Vinca, Periwinkle	Vinca minor		
Recommended Native Ornamental Vines	American bittersweet	Celastrus scandens	Bears flowers and seed capsules only at the branch tips, has been almost completely displaced by the Asian species. To preserve it, give it preference, except where its exotic counterpart is present, because the two hybridize	
	Trumpet honeysuckle	Lonicera sempervirens	Semi-evergreen twining shrub with tubular red flowers attractive to hummingbirds, is uncommon but indigenous to the piedmont	
	Native wisteria	Wisteria frutescens	Much less aggressive than the introduced ones, can be grown from Maryland south	
	Trumpet vine	Campsis radicans	Has dramatic flowers attractive to hummingbirds	Be aware that both are aggressive growers
	Virginia creeper	Parthenocissus quinquefolia	Spectacular red fall foliage	
	Native grapes	Vitis spp.	Provide an enormous amount of food for birds	Are aggressive and not ornamental
Invasive Non- Vining Ground	Crown Vetch	Coronilla varia	Striking pink flowers; bare woody stems are	Often planted along highways, its seeds

Туре	Con	nmon Name	Scientific Name	Description	Detrimental Effects
Covers				unattractive in winter	spread invasively
		eweed	Ajuga reptans	Spread by windborne seeds as well as by	Grow in sun and shade and are common lawn
		ınd Ivy		runners	weeds which have
	Gill-(	Over-the- ınd			spread to woods and wetlands
	Creeping Charli		Glenchoma hederacea		
	Hent	oit	Lamium amplexicaule		
	Purp Nettl	le Dead e	L. purpureum		
	Mints (Spe	s armint)	Mentha spicata	Recognize mints by square stems and minty smell when crushed; Plant culinary mints in containers; prevent from spreading out drainage holes or over the top.	Grow in sun and shade and are common lawn weeds which have spread to woods and wetlands; spread by windborne seeds as well as by runners
	India Strav	n wberry	Duchesnea indica	Shade-tolerant plant from India	Spreads by fruit and runners
		boos (many ies and	Phyllostachys, Bambusa, and Pseudosasa are the most destructive	Plant bamboos only in containers, never in open soil. Prevent from spreading out drainage holes	Many bamboos send runners great distances, under pavement and edging. Once established, they form impenetrable thickets that are almost impossible to eradicate
Recommended Native Ground		Golden ragwort	Senecio aureus	Showy yellow flowers in spring; grow in moist	
Covers		Green-and- Gold	Chrysogonum virginianum	shade	
	ergreen	Wild Stonecrop	Sedum ternatum	Lacy white flowers; it grows in thin, rocky soil in light shade	
	Eve	Moss Phlox	Phlox subulata	Has a looser form in the wild, and usually has white flowers; it tolerates very poor soil but needs good drainage	
	Semi- evergreen	Allegheny Spurge	Pachysandra procumbens	Indigenous to the mountains but will grow here. It looks much like its Japanese cousin	
	Deciduous	Wild Ginger	Asarum canadense	Has kidney-shaped leaves that seem to sparkle in spring. Not a culinary plant, its roots do have a gingery scent. It needs moist shade	

Туре	Common Name	Scientific Name	Description	Detrimental Effects
	Bamboo Alternatives Action	Arundinaria gigantea	A well-behaved native bamboo, is indigenous to damp woods and swamps on the coastal plain. Elsewhere, use native grasses (see below) or shrubs (see above)	
Invasive Wetland Plants	Common Reed	Phragmites australis, formerly P. communis	A tall ornamental grass with lovely plumes, usually white or tan	Although the species is indigenous, a particularly aggressive strain, probably introduced or a hybrid, has escaped from natural controls and taken over many formerly diverse wetlands. It is also seen in roadside ditches
	Giant Reed	Arundo donax	Can grow to 20' tall	Chokes waterways from Virginia south
	Japanese Knotweed, Mexican Bamboo	Polygonum cuspidatum	Can grow in shade. The stems have knotty joints, reminiscent of bamboo. It grows 6-10' tall and has large pointed oval or triangular leaves	
	Purple Loosestrife	Lythrum salicaria, L. virgatum	a handsome garden plant, has tall spikes of magenta flowers over a long bloom season	Often marketed as sterile, it is at best self-sterile, i.e., it can be pollinated by plants you may not be aware of, growing nearby. A single plant can produce up to a million seeds. Like <i>Phragmites</i> , it chokes out all competitors and has taken over millions of acres of wetland in the US.
	Lesser Celandine, Celandine Buttercup	Ranunculus ficaria	Has spread from gardens to carpet our floodplains with small yellow flowers in spring	It comes up in winter, giving it a head start over most native spring wildflowers
Recommended	Turtlehead	Chelone glabra	Also use native reeds,	
Native Wetland Plants for	Lizard's Tail	Saururus cernuus Lobelia cardinalis	rushes, and sedges	
Water Gardens	Cardinal Flower New York	Vernonia		
34.40.10	Ironweed	noveboracencis		
	Blue Flag	Iris versicolor		
	Virginia Bluebells	Mertensia virginica		

June 7, 2004

Туре	Common Name	Scientific Name	Description	Detrimental Effects
	Wild Blue Phlox	Phlox divaricata		
	Arrowhead	Sagittaria latifolia		
	Pickerelweed	Pontederia		
		cordata		
Invasive	Pampas Grass	Cortaderia		Have been the most
Ornamental		selloana and C.		invasive. Those with
Grasses		jubata		heavy seeds are less
	Japanese Silver	Miscanthus		likely to spread
	Grass	sinensis		
	Reed Canary	Phalaris		
	Grass	arundinacea		
Recommended	Indian Grass	Sorghastrum	Native grasses provide	
Native Grasses		nutans	nest sites for meadow	
	Big Bluestem	Andropogon gerardii	birds, as well as food, cover, and shelter for a	
	Purple Top	Triodia flava	wide variety of animals.	
	Switch Grass	Panicum virgatum	In the garden, they offer	
	Little Bluestem	Schizachyrium	textural contrast, and	
		scoparium	fall and winter interest	
	Bottlebrush	Hystrix patula		
	Wild Oats	Uniola latifolia		

#### **Appendix D: Endangered Species of Gaithersburg**

Maryland Department of Natural Resources has identified habitat within Gaithersburg with the potential to support the following rare and threatened plant and animal species. Additional information regarding current and historical rare, threatened, and endangered plant species of Montgomery County, Maryland is available at Maryland Department of Natural Resources Wildlife and Heritage Service website at: <a href="http://www.dnr.state.md.us/wildlife/rtemontgomeryplants.html">http://www.dnr.state.md.us/wildlife/rtemontgomeryplants.html</a>

#### 1. Calystegia spithamea, Low Bindweed - rare (1951)

Preferred habitat: old, dry fields; open, dry, deciduous woods on limestone; shale barren; oak-pine woods margin; and gravel/sand railroad embankment.

Source: various occurrence records in the Maryland Natural Heritage Program database.





## 2. Cistothorus platensis, Sedge Wren - threatened (1978)

*Preferred habitat*: wet or boggy meadows, sedge marshes; streamside thickets in grasslands or fields.

Source: Committee on classification and nomenclature. 1983. Checklist of North American birds, 6th ed. Amer. Ornithologists Union, Allen Press, Inc., Lawrence, KA.

## 3. Lygodium palmatum, Climbing Fern - threatened (1907)

Preferred habitat: wet thickets in sandy or acid soil; low shaded, moist to wet, high acid soils of open woods and watersides; borders of low woods.

Sources:

Radford, A.E., H.E. Ahles, and C.R. Bell. 1964. Manual of the vascular flora of the Carolinas. University of North Carolina Press, Chapel Hill.



Hough, M.Y. 1983. New Jersey wild plants. Harmony Press, Harmon, N.J. Maryland Natural Heritage Program botanists.

### 4. Scutellaria leonardii, Leonard's Skullcap - threatened (1939)

Preferred habitat. dry rocky soil, low woods and fields, usually on basic soils. Sources:

Tatnall, R.R. 1946. Flora of Delaware and the Eastern Shore: an annotated list of the ferns and flowering plants of the peninsula of Delaware, Maryland, and Virginia. Soc. Nat. Hist. Del. (Address not given).

Radford, A.E., H.E. Ahles, and C.R. Bell. 1964. Manual of the vascular flora of the Carolinas. University of North Carolina Press, Chapel Hill.



# Appendix E: Leadership in Energy and Environmental Design LEED<sup>™</sup> Version 2.1 Project Checklist


Project Name:	
Tax ID:	
Address:	

For more information regarding LEED™, refer to the US Green Building Council website at http://www.usgbc.org

Yes ? No 14 Sustainable Sites **Points** Prereg 1 **Erosion & Sedimentation Control** Required Site Selection Credit 1 1 **Urban Redevelopment** Credit 2 1 **Brownfield Redevelopment** Credit 3 Alternative Transportation, Public Transportation Access Credit 4.1 Credit 4.2 Alternative Transportation, Bicycle Storage & Changing Rooms Credit 4.3 Alternative Transportation, Alternative Fuel Vehicles Alternative Transportation, Parking Capacity and Carpooling Credit 4.4 Reduced Site Disturbance, Protect or Restore Open Space Credit 5.1 Reduced Site Disturbance, Development Footprint Credit 5.2 Stormwater Management, Rate and Quantity Credit 6.1 Stormwater Management, Treatment Credit 6.2 Landscape & Exterior Design to Reduce Heat Islands, Non-Credit 7.1 Roof Credit 7.2 Landscape & Exterior Design to Reduce Heat Islands, Roof **Light Pollution Reduction** Credit 8 Yes ? No

Water E	Efficiency	<b>5</b> Points
Credit 1.1	Water Efficient Landscaping, Reduce by 50%	1
Credit 1.2	Water Efficient Landscaping, No Potable Use or No Irrigation	1
Credit 2	Innovative Wastewater Technologies	1
Credit 3.1	Water Use Reduction, 20% Reduction	1
Credit 3.2	Water Use Reduction, 30% Reduction	1

	?	No			
			Energy	& Atmosphere	17 Points
	_				1 01110
Y			Prereq 1	Fundamental Building Systems Commissioning	Required
Y			Prereq 2	Minimum Energy Performance	Required
Y			Prereq 3	CFC Reduction in HVAC&R Equipment	Required
			Credit 1	Optimize Energy Performance	1 to 10
			Credit 2.1	Renewable Energy, 5%	1
			Credit 2.2	Renewable Energy, 10%	1
			Credit 2.3	Renewable Energy, 20%	1
			Credit 3	Additional Commissioning	1
			Credit 4	Ozone Depletion	1
			Credit 5	Measurement & Verification	1
			Credit 6	Green Power	1
Yes	?	No			
			Materia	ls & Resources	13
					Points
Υ			Prereq 1	Storage & Collection of Recyclables	5
			1 10109 1		Required
			Credit 1.1	Building Reuse, Maintain 75% of Existing Shell	Required 1
			•	Building Reuse, Maintain 75% of Existing Shell Building Reuse, Maintain 100% of Shell	·
			Credit 1.1		1
	_		Credit 1.1 Credit 1.2	Building Reuse, Maintain 100% of Shell	1
			Credit 1.1 Credit 1.2 Credit 1.3	Building Reuse, Maintain 100% of Shell Building Reuse, Maintain 100% Shell & 50% Non-Shell	1 1 1
			Credit 1.1 Credit 1.2 Credit 1.3 Credit 2.1	Building Reuse, Maintain 100% of Shell Building Reuse, Maintain 100% Shell & 50% Non-Shell Construction Waste Management, Divert 50%	1 1 1 1
			Credit 1.1 Credit 1.2 Credit 1.3 Credit 2.1 Credit 2.2	Building Reuse, Maintain 100% of Shell Building Reuse, Maintain 100% Shell & 50% Non-Shell Construction Waste Management, Divert 50% Construction Waste Management, Divert 75%	1 1 1 1
		_	Credit 1.1 Credit 1.2 Credit 1.3 Credit 2.1 Credit 2.2 Credit 3.1	Building Reuse, Maintain 100% of Shell Building Reuse, Maintain 100% Shell & 50% Non-Shell Construction Waste Management, Divert 50% Construction Waste Management, Divert 75% Resource Reuse, Specify 5%	1 1 1 1 1
			Credit 1.1 Credit 1.2 Credit 1.3 Credit 2.1 Credit 2.2 Credit 3.1 Credit 3.2	Building Reuse, Maintain 100% of Shell Building Reuse, Maintain 100% Shell & 50% Non-Shell Construction Waste Management, Divert 50% Construction Waste Management, Divert 75% Resource Reuse, Specify 5% Resource Reuse, Specify 10% Recycled Content, Specify 5% (post-consumer + ½ post-	1 1 1 1 1 1
			Credit 1.1 Credit 1.2 Credit 1.3 Credit 2.1 Credit 2.2 Credit 3.1 Credit 3.2 Credit 4.1	Building Reuse, Maintain 100% of Shell Building Reuse, Maintain 100% Shell & 50% Non-Shell Construction Waste Management, Divert 50% Construction Waste Management, Divert 75% Resource Reuse, Specify 5% Resource Reuse, Specify 10% Recycled Content, Specify 5% (post-consumer + ½ post-industrial) Recycled Content, Specify 10% (post-consumer + ½ post-	1 1 1 1 1 1
			Credit 1.1 Credit 1.2 Credit 1.3 Credit 2.1 Credit 2.2 Credit 3.1 Credit 3.2 Credit 4.1 Credit 4.2	Building Reuse, Maintain 100% of Shell Building Reuse, Maintain 100% Shell & 50% Non-Shell Construction Waste Management, Divert 50% Construction Waste Management, Divert 75% Resource Reuse, Specify 5% Resource Reuse, Specify 10% Recycled Content, Specify 5% (post-consumer + ½ post-industrial) Recycled Content, Specify 10% (post-consumer + ½ post-industrial)	1 1 1 1 1 1 1
			Credit 1.1 Credit 1.2 Credit 1.3 Credit 2.1 Credit 2.2 Credit 3.1 Credit 3.2 Credit 4.1 Credit 4.2 Credit 4.2	Building Reuse, Maintain 100% of Shell Building Reuse, Maintain 100% Shell & 50% Non-Shell Construction Waste Management, Divert 50% Construction Waste Management, Divert 75% Resource Reuse, Specify 5% Resource Reuse, Specify 10% Recycled Content, Specify 5% (post-consumer + ½ post-industrial) Recycled Content, Specify 10% (post-consumer + ½ post-industrial) Local/Regional Materials, 20% Manufactured Locally Local/Regional Materials, of 20% Above, 50% Harvested	1 1 1 1 1 1 1



Certified 26-32 points Silver 33-38 points Gold 39-51 points Platinum 52-69 points